

THE CITY OF PROVIDENCE
STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS

RESOLUTION OF THE CITY COUNCIL

No. 53

Approved January 17, 1964

RESOLVED,

THAT O'Neil Street be re-established as a two-way street and that vehicular parking be eliminated along the southerly side of O'Neil Street from Douglas Avenue to Veazie Street, all in accordance with the recommendation of the Traffic Engineer incorporated in attached report to the Committee on Public Works.

IN CITY COUNCIL

JAN 16 1964

READ and PASSED

John P. Brock
.....
President
Vincent Despin
.....
Clerk

APPROVED

JAN 17 1964

Walter J. Murphy
.....
MAYOR



CITY OF PROVIDENCE - RHODE ISLAND - Walter H. Reynolds, Mayor

TRAFFIC ENGINEERING DEPARTMENT

ROGER T. CHANDLER

Traffic Engineer

JOHN I. LOGAN

Assistant Traffic Engineer

147 Fountain Street

Providence 3, R. I.

January 2, 1964

Committee on Public Works
Honorable City Council
City Hall
Providence, Rhode Island


Gentlemen:

The Traffic Engineering Department has reviewed the proposal to re-establish O'Neil Street as a two way street and to eliminate the parking on the southerly side of the street.

Since this street was established as a one way street in July of 1962 we have had numerous complaints from residents of the area regarding motorists using the street in the wrong direction in spite of fully adequate signing and the increase in traffic on the adjacent street, Concannon Street, which is very narrow and without sidewalks.

In view of these difficulties and the importance of O'Neil Street as a connector between Douglas Avenue and Veazie Street it is therefore recommended that O'Neil Street be re-established as a two way street and that parking be eliminated along the southerly side of O'Neil Street from Douglas Avenue to Veazie Street.

Very truly yours,


Roger T. Chandler
Traffic Engineer

CFA:pf

THE COMMITTEE ON

Public Works

Recommends

Adoption

Vincent Vespe
Clerk
1-10-64

RESOLUTION OF THE CITY COUNCIL

No. 54

Approved January 17, 1964

Resolved,

That the following named person, firm or corporation is hereby granted permission to erect, alter or use a building or structure at the location named herein for the sale of petroleum, kerosene, gasoline, coal oil and their products, compounds and components as described and shown in and on the application therefor and accompanying plat, all on file in the Office of the Department of Building Inspection subject to the conditions that said person, firm or corporation shall not violate any of the laws of the State of Rhode Island or any of the Ordinances of the City of Providence relative to the erection, use or occupation of said structure and that said person, firm or corporation shall not allow petroleum, kerosene, gasoline, coal oil or their products, compounds or components, to be conveyed over or across any sidewalk by means of any pipe or hose, and upon such special conditions as are hereby enumerated and further provided that the Director of the Department of Building Inspection may authorize minor changes in the structural detail of plans on file, viz:

Ward 10. City of Providence, Sun Oil Company, Lessee, bordering Terminal Road; Plat 56, Lot 7. One (1) 84,000 gallon petroleum products storage tank additional, making 5,816,500 gallons total capacity of storage upon the premises.

The erection or location of any buildings or structures not shown on the original plat on file with the Director of Department of Building Inspection, or any change in the location of buildings or structures from that shown on said plat shall be deemed a violation of this permit.

IN CITY COUNCIL

JAN 16 1964

READ and PASSED

John P. Zuck
President
William T. Bishop
Clerk

APPROVED

JAN 17 1964

William T. Bishop
MAYOR

APPLICATION FOR PERMIT

STORAGE OF PETROLEUM AND PETROLEUM PRODUCTS IN BULK

PROVIDENCE May 14, 1963

The undersigned hereby applies for a permit for the storage of Petroleum and Petroleum products in bulk, as hereinafter specified and agrees to observe and conform to all the conditions, limitations and requirements of the building law of the City of Providence.

1. 1 Building District 10 Ward
2. Location Property bordering Terminal Road
3. Plat 56 Lot Number 7
4. Owner of land - City of Providence (Sun Oil Company-Lessee)
5. Architect Sun Oil Company
6. Type of Tank (above or below ground) New above-ground cone roof
7. Number of Tanks One new tank to be erected
8. Size of Tanks 25'-0" Diameter
9. Height of Tanks 24'-0"
10. Capacity of Tanks 84,000 gallons - Removing four tanks totalling 65,000 gallons
11. Ventilation of Tanks Approved venting equipment
12. Fire Extinguishing System None on tank (existing on premises)
13. Diking of Tanks earth
14. Foundation Crushed stone on existing earth
15. Material earth Thickness graded slopes
16. Flash Point of Products ~~370~~ 320°
17. Distance between Tanks to nearest = 90'-0" approx.
18. Distance from Buildings to nearest = 170'-0" approx.
19. Distance from Lot Lines to nearest = 45'-0"
20. Number of Tanks now on Premises 35
21. Total Capacity of Storage on the Premises 5713,500 gallons (see plan #SK 629 attached)

ZONED M-2

EST. COST

MAY 1 1963
Approved:

Francis G. Lemmon

Commissioner of Public Safety.

Approved:

Robert B. Strong

City Engineer.

Approved:

Philip H. Hutton Jr.

Director of Public Works.

Approved:

Vincent DiMare

Director, Dep't of Building Inspection

REMARKS

EXISTING STORAGE 5,713,500 gals
INCREASE IN STORAGE 19,000 "
TOTAL STORAGE 5,732,500 "

SUN Oil Co., Lessee

Name b

Address P.O. Box 1554

Providence, R.I.

W.B.M. Cowan Sand Sign Rep

RESOLUTION OF THE CITY COUNCIL

No. 55

Approved January 17, 1964

Resolved,

That the following named person, firm or corporation is hereby granted permission to erect, alter or use a building or structure at the location named herein for the sale of petroleum, kerosene, gasoline, coal oil and their products, compounds and components as described and shown in and on the application therefor and accompanying plat, all on file in the Office of the Department of Building Inspection subject to the conditions that said person, firm or corporation shall not violate any of the laws of the State of Rhode Island or any of the Ordinances of the City of Providence relative to the erection, use or occupation of said structure and that said person, firm or corporation shall not allow petroleum, kerosene, gasoline, coal oil or their products, compounds or components, to be conveyed over or across any sidewalk by means of any pipe or hose, and upon such special conditions as are hereby enumerated and further provided that the Director of the Department of Building Inspection may authorize minor changes in the structural detail of plans on file, viz:

Ward 10. City of Providence, Sun Oil Company, Lessee, bordering Terminal Road; Plat 56, Lot 7. One (1) 84,000 gallon petroleum products storage tank additional, making 5,732,500 gallons total capacity of storage upon the premises.

The erection or location of any buildings or structures not shown on the original plat on file with the Director of Department of Building Inspection, or any change in the location of buildings or structures from that shown on said plat shall be deemed a violation of this permit.

IN CITY COUNCIL

JAN 16 1964

READ and PASSED

Vincent C. Cispia
President
Clerk

APPROVED

JAN 17 1964

Walter H. Lepore
MAYOR

APPLICATION FOR PERMIT

STORAGE OF PETROLEUM AND PETROLEUM PRODUCTS IN BULK

PROVIDENCE, October 2, 1963

The undersigned hereby applies for a permit for the storage of Petroleum and Petroleum products in bulk, as hereinafter specified and agrees to observe and conform to all the conditions, limitations and requirements of the building law of the City of Providence.

1. Building District 10 Ward
2. Location Property bordering Terminal Road
3. Plat 56 Lot Number 7
4. Owner of land - City of Providence (Sun Oil Company, Lessee)
5. Architect Sun Oil Company
6. Type of Tank (above or below ground) New above ground cone roof
7. Number of Tanks One new tank to be erected
8. Size of Tanks 25'-0" Diameter
9. Height of Tanks 24'-0"
10. Capacity of Tanks 84,000 gallons
11. Ventilation of Tanks Approved venting equipment
12. Fire Extinguishing System None on tanks (existing on premises)
13. Diking of Tanks Earth
14. Foundation Crushed stone base on existing earth
15. Material Earth Thickness Graded slopes
16. Flash Point of Products 340°
17. Distance between Tanks to nearest - 90'-0" approx.
18. Distance from Buildings to nearest - 170'-0"
19. Distance from Lot Lines to nearest - 80'-0"
20. Number of Tanks now on Premises 35
21. Total Capacity of Storage on the Premises ~~5,797,000~~ 5,732,500
Zoned M-2

OCT 16 1963

Approved:

Francis A. Lemmon
Commissioner of Public Safety.

Approved:

Robert B. Strong
City Engineer.

Approved:

Philip H. Hutton
Director of Public Works.

Approved:

Vincent DiMase
Director, Dep't of Building Inspection

REMARKS

NOTE: REF TO Bldg. Bd. RES
2340 OF OCT. 17,

Name

SUN OIL CO.
by W.B. MacCormack, Sec'y & Gen'l Mgr.

Address

P.O. Box 1554

Providence 1, R.I.

RESOLUTION OF THE CITY COUNCIL

No. 58

Approved January 17, 1964

Resolved,

That the following named person, firm or corporation is hereby granted permission to erect, alter or use a building or structure at the location named herein for the sale of petroleum, kerosene, gasoline, coal oil and their products, compounds and components as described and shown in and on the application therefor and accompanying plat, all on file in the Office of the Department of Building Inspection subject to the conditions that said person, firm or corporation shall not violate any of the laws of the State of Rhode Island or any of the Ordinances of the City of Providence relative to the erection, use or occupation of said structure and that said person, firm or corporation shall not allow petroleum, kerosene, gasoline, coal oil or their products, compounds or components, to be conveyed over or across any sidewalk by means of any pipe or hose, and upon such special conditions as are hereby enumerated and further provided that the Director of the Department of Building Inspection may authorize minor changes in the structural detail of plans on file, viz:

WARD 12. Socony Mobil Oil Company, 383 Canal Street, Plat 3, Lot 253; remove one (1) single Pump and install one (1) new dual Pump making a total of seven (7) filling pumps upon the premises.

The erection or location of any buildings or structures not shown on the original plat on file with the Director of Department of Building Inspection, or any change in the location of buildings or structures from that shown on said plat shall be deemed a violation of this permit.

IN CITY COUNCIL

JAN 16 1964

READ and PASSED

John P. Brock
President
William A. Capria

APPROVED

JAN 17 1964

Walter H. Hennessey
MAYOR

APPLICATION FOR PERMIT

Providence, 19.....

To the Director of the Department of Building Inspection:

The undersigned hereby applies for permission to erect gasoline station specified as follows:

1. _____ Building District _____ Ward _____
2. Street Location _____
3. Plat _____ Lot _____
4. Owner _____
5. Number of Pumps _____ (New Station) _____
6. Number of Buildings _____
7. Number of Curb Cuts _____ Width _____
8. Drawings Accompanying Application _____
9. Number of Pumps Now on Premises _____
10. Number of Additional Pumps _____ Total on Lot _____
11. Capacity of Tanks (Existing) _____
12. Capacity of Additional Tanks _____
13. Total Capacity on Lot _____
14. Is Gasoline or Oil to Be Sold? _____
15. Zoning District _____
16. Estimated Cost _____


REMARKS

List of additional coal oils, compounds and components to be stored and sold.

<i>Product</i>	<i>Quantity</i>	<i>Pumps Used</i>
----------------	-----------------	-------------------

Approved: Francis G. Lemon
Commissioner of Public Safety

Commissioner of Public ~~Safety~~

1/17/63
Approved: 
Traffic Engineer

Traffic Engineer

Approved: _____

 Director of Public Works

Director of Public Works

Approved: Vincent Di Mase
Director of the Department of Building Inspection

Director of the Department of Building Inspection

Owner's Name

Address

.....
Agent's Name

Agent's Address

.....
Telephone Number

Parcels of land within a 150 Ft. Radius of lot No. 253 on
Assessors Plat No. 3, of the City of Prov.

LOT NO.	OWNERS NAME	ADDRESS
253	Socony Mobil Oil Co.	P.O. Box 4411, Riverside
258	Samuel & Leonard Feiner	9 Smith St.
258	Anna M. Marcello	183 Heather St.
255	Abraham Katznelson	768 Broad St.
225	Samuel Kornstein	66 Main St., Woonsocket
260		
259		
292	Young Brothers Mattress Co.	25 Charles St.
67	Anna Investment Corp.	83 Greenwich Ave.
489	Edna R. Orenstein	2 Overhill Road
230		
231	Samuel C. Ress	17 Slater Ave.
PLAT NO. 10		
1	Harry Lyon & Co.	367 Canal St.
2	Thomas B. Gray	400 New Meadow Rd., Barrington
125		
127		
128	The Diocese of R.I.	North Main St.
126	Leo H. Rosen	128 Woodbine St.

RESOLUTION OF THE CITY COUNCIL

No. 57

Approved January 17, 1964

Resolved,

That the following named person, firm or corporation is hereby granted permission to erect, alter or use a building or structure at the location named herein for the sale of petroleum, kerosene, gasoline, coal oil and their products, compounds and components as described and shown in and on the application therefor and accompanying plat, all on file in the Office of the Department of Building Inspection subject to the conditions that said person, firm or corporation shall not violate any of the laws of the State of Rhode Island or any of the Ordinances of the City of Providence relative to the erection, use or occupation of said structure and that said person, firm or corporation shall not allow petroleum, kerosene, gasoline, coal oil or their products, compounds or components, to be conveyed over or across any sidewalk by means of any pipe or hose, and upon such special conditions as are hereby enumerated and further provided that the Director of the Department of Building Inspection may authorize minor changes in the structural detail of plans on file, viz:

Ward 12. City of Providence, Socony Mobil Oil Company, lessee, 7 Harris Avenue - 150 Kinsley Avenue; Plat 26, Lot 255. Install one (1) 4,000 gasoline tank making a total storage capacity of 10,000 gallons upon the premises.

The erection or location of any buildings or structures not shown on the original plat on file with the Director of Department of Building Inspection, or any change in the location of buildings or structures from that shown on said plat shall be deemed a violation of this permit.

IN CITY COUNCIL

APPROVED

JAN 16 1964

READ and PASSED

President

JAN 17 1964

MAYOR

APPLICATION FOR PERMIT FOR GASOLINE STATION

Providence, Dec 23 1963

To the Director of the Department of Building Inspection:

The undersigned hereby applies for permission to erect gasoline station specified as follows:

1. Building District 12 Ward 12
2. Street Location 11 27 - 150 KINSLEY AVE
3. Plat 26 Lot 255
4. Owner (Signature)
5. Number of Pumps 1 (New Station) No
6. Number of Buildings 1
7. Number of Curb Cuts 1 Width 12
8. Drawings Accompanying Application (Signature)
9. Number of Pumps Now on Premises 0
10. Number of Additional Pumps 1 Total on Lot 1
11. Capacity of Tanks (Existing) 500 gal. 0.0.
12. Capacity of Additional Tanks 500 gal. 0.0.
13. Total Capacity on Lot 1000 gal. 0.0.
14. Is Gasoline or Oil to Be Sold? Yes
15. Zoning District M-1
16. Estimated Cost 200.

REMARKS

List of additional coal oils, compounds and components to be stored and sold.

Product	Quantity	Pumps Used
---------	----------	------------

Approved: Francis A. Lemmon
Commissioner of Public Safety

10/1/63
Approved: Robert H. Chandler
Traffic Engineer

Approved: _____
Director of Public Works

Approved: Vincent DiMase
Director of the Department of Building Inspection

Owner's Name

Address

Agent's Name

Agent's Address

Telephone Number

Parcels of land within a 150 Ft. Radius of lot No. 255 on
Assessors Plat No. 26, of the City of Providence.

LOT NO.	OWNERS NAME	ADDRESS
255	City of Providence	
319	City of Providence	
Plat No. 19		
38	Providence Produce Warehouse Co.	C.O. Tax Agent 54 Meadow St. New Haven, Conn.

THE CITY OF PROVIDENCE
STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS

RESOLUTION OF THE CITY COUNCIL

No. 58

Approved January 17, 1964

RESOLVED,

THAT permission is hereby granted to Gladdings, Inc., to alter and repair existing canopy located at side entrance of Gladdings, Inc., on Plat 25, Lot 346, all in accordance with the accompanying petition and plan approved by the Director of the Department of Building Inspection and further upon condition that evidence, satisfactory to the City Solicitor, that Public Liability insurance indemnifying the City of Providence from loss or damage sustained by reason of its maintenance and use is in effect.

IN CITY COUNCIL

JAN 16 1964

READ and PASSED

John L. Zuck
President
Christina
Clerk

APPROVED

JAN 17 1964

William H. Kennedy
MAYOR

PETITION TO THE CITY COUNCIL

TO THE HONORABLE CITY COUNCIL OF THE CITY OF PROVIDENCE:

The undersigned respectfully petitions your honorable body

November 20, 1963

We respectfully request permission to alter and repair existing canopy located at side entrance of Gladdings Inc., . As shown on plan we propose to cut back the present steel frame, shortening depth 2'-0". These repairs and alterations we plan to perform in the field on a protective covered sidewalk bridge for pedestrian's passing and safety.

The existing steel members will be shortened to conform with the "Building Code" and all structural materials are fire resistant.

Trusting the honorable City Council will grant approval of the above proposal, we remain, Erect letters on both sides of marquee.

Gladdings Inc.

Charles M. Williams
Dist. Supt. & U.P.

APPROVED

Vincent DiMase
DIRECTOR OF THE DEPARTMENT
OF BUILDING INSPECTION

IN CITY COUNCIL
JAN 16 1964

READ AND GRANTED
Vincent Vespa
CLERK

APPROVED

JAN 17 1964
William J. Murphy
MAYOR

APPROVED
Peter J. Hicks

Office of the City Clerk

MEMORANDUM

Providence, R. I., January 21, 1964

TO: Vincent DiMase, Director of Department of Building Inspection

SUBJECT: Gladdings Inc. - Alter and repair existing canopy.

CONSIDERED BY: Vincent Vespia, City Clerk

ACTION TAKEN: Do not issue permit until satisfactory evidence of
insurance is approved by the City Solicitor.


City Clerk

RESOLUTION OF THE CITY COUNCIL

No. 59

Approved January 17, 1964

WHEREAS, the assassination of John Fitzgerald Kennedy, Thirty-fifth President of the United States of America evoked a multitude of suggestions for memorials, and

WHEREAS, to properly consider the many suggestions which were introduced into the City Council, by certain of its members, and of suggestions transmitted to the Executive Department by persons mourning the passing of this great American President, the City Council created a Special Committee for the purpose of considering suggestions for an appropriate permanent monument to the late President, and

WHEREAS, this Committee did meet and deliberate upon three occasions discussing at length the various Resolutions of the City Council referred to it; the several written suggestions submitted to it by way of correspondence from interested persons sent to the Mayor's Office and the further suggestion that a memorial be erected in Roger Williams Park, and

WHEREAS, following meetings of that Special Committee it is the consensus that the most appropriate memorial, at this time, would be the renaming of Exchange Place, where the late President last appeared in Providence and addressed a vast crowd.

NOW THEREFORE BE IT RESOLVED THAT the area of downtown Providence, presently designated as "Exchange Place" be redesignated and dedicated as "Kennedy Plaza", in memory of John Fitzgerald Kennedy, Thirty-fifth President of the United States of America, and

BE IT FURTHER RESOLVED THAT ^{an v.} appropriate dedicatory ceremony be arranged by this Special Committee and ^{be v.} conducted on Friday, May 29, 1964, upon which day the late President John Fitzgerald Kennedy would have celebrated, with the Nation, his forty-seventh birthday.