

MICHAEL J. DILLON  
Acting Chief of Department

ANGEL TAVERAS  
MAYOR

THOMAS N. WARREN  
Assistant Chief of Department

STEVEN M. PARE  
Commissioner of  
Public Safety



Department of Public Safety, Fire Department  
*"Building Pride in Providence"*

July 26, 2011

Ms. Anna Stetson  
Providence City Clerk  
25 Dorrance Street  
Providence RI 02903

Dear Madame Clerk:

The Providence Fire Department respectfully submits the following documents to the Providence City council:

The annual reports of the Engine and Ladder Companies of the City of Providence for 2011. The total runs by station of the Engine, Ladder, Rescue Companies of the City of Providence. The total runs of the Chief Officers by station of the City of Providence for the year 2011.

These documents are submitted on the request of the President of the City Council and reflect the day to day emergency response operations of the Providence Fire Department for the year 2011. These documents were introduced at the Providence City council Finance committee hearing on the Collective bargaining agreement between Local 799 of the International Association of Firefighters and the City of Providence which was held on Monday 25 July 2011 at 5:30 PM in the City Council conference room at Providence City hall.

Please feel free to contact me regarding these documents or for any additional information the City council may require

Sincerely,

MICHAEL J. DILLON  
Acting Chief of Department

MJD/kb

IN CITY COUNCIL

**JUL 29 2011**

READ  
WHEREUPON IT IS ORDERED THAT  
THE SAME BE RECEIVED  
  
CLERK

325 Washington Street Providence, Rhode Island 02903 (401) 243-6060 FAX: (401) 243-6487

# PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

## Reporting Ladder Company

### Ladder 1

#### Annual Report for 2011

ANNUAL TOTALS	
Service Time Minutes	Runs
20271	1053

	Minutes	Runs
<b>FIRE</b>	<b>5271</b>	<b>134</b>
Structure	4319	69
Vehicle	41	3
Other	911	62
<b>EMS</b>	<b>3467</b>	<b>200</b>
Cardiac	77	4
Medical Aid	2116	115
Other	1274	81
<b>HAZMAT</b>	<b>526</b>	<b>20</b>
Spill/Leak	442	15
Other	84	5
<b>NON-FIRE</b>	<b>8526</b>	<b>576</b>
Lockout/In	669	39
Water Emer	731	23
Accidental	2380	180
Defective	2081	140
Other	2665	194
<b>GOOD INTENT</b>	<b>1685</b>	<b>34</b>
Smoke Scare	297	20
Other	1388	14
<b>FALSE</b>	<b>614</b>	<b>56</b>
Malicious	527	49
Other	87	7
<b>RELOCATIONS</b>	<b>78</b>	<b>7</b>

### EQUIPMENT USED

	Number of Feet Used
Aerial	2416
Extension	490
Straight	180
Roof	106
Folding	297
Combination	20

	Number Used
Scba	251

	Number of Times Used
LadderPipe	4
Extinguisher	13
Foam	0
Oxygen	27
Generator	5
Smoke Ejt	17
Port Pump	7
Scene Light	11
Jaws	0
K12	10
Qvent	9
FirstAid Bag	151
CO2 Meter	21
Misc Tools	601

### Lockout/in Type

Building	13
Auto	3
Elevator	25

### Box Type

Fire	50
False	92

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Other

461

# PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

## Reporting Ladder Company

### Ladder 2

#### Annual Report for 2011

ANNUAL TOTALS	
Service Time Minutes	Runs
15077	780

	Minutes	Runs
<b>FIRE</b>	<b>4363</b>	<b>107</b>
Structure	3857	66
Vehicle	67	6
Other	439	35
<b>EMS</b>	<b>2543</b>	<b>148</b>
Cardiac	189	10
Medical Aid	1794	105
Other	560	33
<b>HAZMAT</b>	<b>539</b>	<b>27</b>
Spill/Leak	222	10
Other	317	17
<b>NON-FIRE</b>	<b>5958</b>	<b>337</b>
Lockout/In	562	37
Water Emer	109	6
Accidental	1967	197
Defective	799	65
Other	2521	32
<b>GOOD INTENT</b>	<b>882</b>	<b>69</b>
Smoke Scare	390	34
Other	492	35
<b>FALSE</b>	<b>565</b>	<b>73</b>
Malicious	501	67
Other	64	6
<b>RELOCATIONS</b>	<b>130</b>	<b>1</b>

#### EQUIPMENT USED

	Number of Feet Used
Aerial	3350
Extension	460
Straight	616
Roof	140
Folding	138
Combination	70

#### Number Used

Scba	343
------	-----

#### Number of Times Used

LadderPipe	4
Extinguisher	16
Foam	0
Oxygen	24
Generator	6
Smoke Ejt	17
Port Pump	0
Scene Light	14
Jaws	0
K12	8
Qvent	16
FirstAid Bag	76
CO2 Meter	38
Misc Tools	164

#### Lockout/In Type

Building	23
Auto	1
Elevator	0

#### Box Type

Fire	19
False	80



# PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

## Reporting Ladder Company

Ladder 3

### Annual Report for 2011

ANNUAL TOTALS	
Service Time Minutes	Runs
13486	714

	Minutes	Runs
<b>FIRE</b>	2182	72
Structure	1799	46
Vehicle	60	3
Other	323	23
<b>EMS</b>	4835	243
Cardiac	187	7
Medical Aid	4169	205
Other	479	31
<b>HAZMAT</b>	405	17
Spill/Leak	254	9
Other	151	8
<b>NON-FIRE</b>	3479	252
Lockout/In	729	48
Water Emer	359	7
Accidental	1129	112
Defective	1021	67
Other	241	18
<b>GOOD INTENT</b>	584	41
Smoke Scare	282	21
Other	302	20
<b>FALSE</b>	592	75
Malicious	477	64
Other	115	11
<b>RELOCATIONS</b>	50	1

### EQUIPMENT USED

	Number of Feet Used
Aerial	2530
Extension	165
Straight	140
Roof	208
Folding	112
Combination	58

	Number Used
Scba	261

	Number of Times Used
Ladder/Pipe	0
Extinguisher	46
Foam	0
Oxygen	87
Generator	11
Smoke Ejt	20
Port Pump	2
Scene Light	14
Jaws	0
K12	3
Qvent	3
First Aid Bag	187
CO2 Meter	39
Misc Tools	143

### Lockout/In Type

Building	37
Auto	3
Elevator	3

### Box Type

Fire	25
False	81

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Other

# PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

## Reporting Ladder Company

### Ladder 4

#### Annual Report for 2011

ANNUAL TOTALS	
Service Time Minutes	Runs
21566	1011

	Minutes	Runs
<b>FIRE</b>	<b>4651</b>	<b>130</b>
Structure	4137	93
Vehicle	74	2
Other	440	35
<b>EMS</b>	<b>2160</b>	<b>109</b>
Cardiac	207	9
Medical Aid	1574	79
Other	379	21
<b>HAZMAT</b>	<b>368</b>	<b>14</b>
Spill/Leak	227	9
Other	141	5
<b>NON-FIRE</b>	<b>1E+04</b>	<b>635</b>
Lockout/In	978	40
Water Emer	1625	39
Accidental	2507	213
Defective	2724	181
Other	2945	162
<b>GOOD INTENT</b>	<b>405</b>	<b>25</b>
Smoke Scare	174	12
Other	231	13
<b>FALSE</b>	<b>451</b>	<b>43</b>
Malicious	357	35
Other	94	8
<b>RELOCATIONS</b>	<b>2635</b>	<b>32</b>

#### EQUIPMENT USED

	Number of Feet Used
Aerial	4900
Extension	519
Straight	28
Roof	420
Folding	714
Combination	186

#### Number Used

Scba	352
------	-----

#### Number of Times Used

LadderPipe	5
Extinguisher	85
Foam	0
Oxygen	44
Generator	15
Smoke Ejt	53
Port Pump	8
Scene Light	53
Jaws	0
K12	12
Qvent	19
FirstAid Bag	85
CO2 Meter	36
Misc Tools	433

#### Lockout/in Type

Building	7
Auto	2
Elevator	32

#### Box Type

Fire	75
False	230



PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Other

331

# PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

## Reporting Ladder Company

Ladder 5

### Annual Report for 2011

ANNUAL TOTALS	
Service Time Minutes	Runs
12200	658

	Minutes	Runs
<b>FIRE</b>	<b>3926</b>	<b>86</b>
Structure	3097	53
Vehicle	37	5
Other	792	28
<b>EMS</b>	<b>1781</b>	<b>103</b>
Cardiac	177	7
Medical Aid	1349	75
Other	255	21
<b>HAZMAT</b>	<b>867</b>	<b>29</b>
Spill/Leak	584	18
Other	283	11
<b>NON-FIRE</b>	<b>3977</b>	<b>281</b>
Lockout/In	638	42
Water Emer	78	4
Accidental	1060	99
Defective	893	56
Other	1308	80
<b>GOOD INTENT</b>	<b>930</b>	<b>64</b>
Smoke Scare	602	43
Other	328	21
<b>FALSE</b>	<b>579</b>	<b>67</b>
Malicious	374	53
Other	205	14
<b>RELOCATIONS</b>	<b>8</b>	<b>1</b>

### EQUIPMENT USED

	Number of Feet Used
Aerial	3150
Extension	268
Straight	100
Roof	16
Folding	198
Combination	0

	Number Used
Scba	224

	Number of Times Used
Ladder Pipe	3
Extinguisher	5
Foam	0
Oxygen	19
Generator	9
Smoke Ejt	15
Port Pump	1
Scene Light	20
Jaws	0
K12	3
Qvent	6
First Aid Bag	73
CO2 Meter	53
Misc Tools	399

### Lockout/In Type

Building	31
Auto	3
Elevator	7

### Box Type

Fire	10
False	104



# PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

## Reporting Ladder Company

Ladder 6

### Annual Report for 2011

ANNUAL TOTALS	
Service Time Minutes	Runs
14024	808

	Minutes	Runs
<b>FIRE</b>	<b>4303</b>	<b>147</b>
Structure	3926	120
Vehicle	63	4
Other	314	23
<b>EMS</b>	<b>2063</b>	<b>116</b>
Cardiac	134	9
Medical Aid	1629	83
Other	300	24
<b>HAZMAT</b>	<b>734</b>	<b>34</b>
Spill/Leak	294	11
Other	440	23
<b>NON-FIRE</b>	<b>5357</b>	<b>358</b>
Lockout/In	705	43
Water Emer	529	9
Accidental	1345	124
Defective	2005	140
Other	773	42
<b>GOOD INTENT</b>	<b>723</b>	<b>48</b>
Smoke Scare	370	23
Other	353	25
<b>FALSE</b>	<b>723</b>	<b>86</b>
Malicious	702	84
Other	21	2
<b>RELOCATIONS</b>	<b>64</b>	<b>2</b>

### EQUIPMENT USED

	Number of Feet Used
Aerial	5290
Extension	339
Straight	328
Roof	100
Folding	260
Combination	28

### Number Used

Scba	236
------	-----

### Number of Times Used

LadderPipe	2
Extinguisher	6
Foam	0
Oxygen	15
Generator	12
Smoke Ejt	9
Port Pump	2
Scene Light	21
Jaws	0
K12	13
Qvent	21
FirstAid Bag	63
CO2 Meter	66
Misc Tools	392

### Lockout/in Type

Building	32
Auto	0
Elevator	8

### Box Type

Fire	34
False	111



# PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

## Reporting Ladder Company

Ladder 7

### Annual Report for 2011

ANNUAL TOTALS	
Service Time Minutes	Runs
10675	560

	Minutes	Runs
<b>FIRE</b>	<b>2254</b>	<b>72</b>
Structure	1383	26
Vehicle	145	4
Other	726	42
<b>EMS</b>	<b>2437</b>	<b>114</b>
Cardiac	332	15
Medical Aid	1539	72
Other	566	27
<b>HAZMAT</b>	<b>639</b>	<b>22</b>
Spill/Leak	0	0
Other	639	22
<b>NON-FIRE</b>	<b>4038</b>	<b>270</b>
Lockout/In	540	25
Water Emer	382	9
Accidental	1214	117
Defective	1049	74
Other	853	45
<b>GOOD INTENT</b>	<b>552</b>	<b>30</b>
Smoke Scare	200	12
Other	352	18
<b>FALSE</b>	<b>310</b>	<b>30</b>
Malicious	294	27
Other	16	3
<b>RELOCATIONS</b>	<b>378</b>	<b>7</b>

### EQUIPMENT USED

	Number of Feet Used
Aerial	440
Extension	48
Straight	88
Roof	30
Folding	144
Combination	1

	Number Used
Scba	177

	Number of Times Used
LadderPipe	1
Extinguisher	3
Foam	0
Oxygen	17
Generator	1
Smoke Ejt	7
Port Pump	3
Scene Light	6
Jaws	1
K12	0
Qvent	3
FirstAid Bag	77
CO2 Meter	51
Misc Tools	189

### Lockout/in Type

Building	11
Auto	1
Elevator	12

### Box Type

Fire	25
False	44

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Other

# PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

## Reporting Ladder Company

Ladder 8

### Annual Report for 2011

ANNUAL TOTALS	
Service Time Minutes	Runs
13667	630

	Minutes	Runs
<b>FIRE</b>	<b>3482</b>	<b>99</b>
Structure	1596	33
Vehicle	390	3
Other	1496	63
<b>EMS</b>	<b>3213</b>	<b>79</b>
Cardiac	31	1
Medical Aid	1292	58
Other	1890	20
<b>HAZMAT</b>	<b>433</b>	<b>16</b>
Spill/Leak	303	9
Other	130	7
<b>NON-FIRE</b>	<b>5595</b>	<b>365</b>
Lockout/In	397	22
Water Emer	355	15
Accidental	2149	160
Defective	2054	122
Other	640	46
<b>GOOD INTENT</b>	<b>428</b>	<b>25</b>
Smoke Scare	200	14
Other	228	11
<b>FALSE</b>	<b>464</b>	<b>33</b>
Malicious	426	30
Other	38	3
<b>RELOCATIONS</b>	<b>0</b>	<b>0</b>

#### EQUIPMENT USED

	Number of Reel Used
Aerial	1630
Extension	28
Straight	92
Roof	20
Folding	67
Combination	0

#### Number Used

Scba	506
------	-----

#### Number of Times Used

Ladder Pipe	5
Extinguisher	67
Foam	0
Oxygen	40
Generator	4
Smoke Ejt	25
Port Pump	0
Scene Light	9
Jaws	0
K12	4
Qvent	8
First Aid Bag	60
CO2 Meter	27
Misc Tools	354

#### Lockout/in Type

Building	12
Auto	0
Elevator	10

#### Box Type

Fire	23
False	62





# PROVIDENCE FIRE DEPARTMENT

Providence, RI 23-Jul-11

From: Lt. Joseph L. Molis L-8 A grp #5390


To: The Chief of Department

Subject: Company Activity reports

Sir:

As directed in an email by DAC Mirza I have generated an activity report for the first half of 2011. A hard copy is attached to this F-17 because we are unable to email reports generated with the access database used to collect run data.

Respectfully Submitted,

A handwritten signature in black ink, appearing to be 'J. Molis', written over a horizontal line.

Lt. Joseph Molis L8 A grp

---

Contents Noted and Forwarded

**PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT**  
Reporting Company

ANNUAL TOTALS	
Service Time	Runs
19805	956

SH1

Annual Report for 2011

	<u>Minutes</u>	<u>Runs</u>
<b>FIRE</b>	<b>7246</b>	<b>209</b>
Structure	6116	120
Vehicle	91	8
Other	1039	81
<b>EMS</b>	<b>983</b>	<b>30</b>
Cardiac	26	1
Medical Aid	517	12
Other	440	17
<b>HAZMAT</b>	<b>3123</b>	<b>114</b>
Spill/Leak	2168	68
Other	955	46
<b>NON-FIRE</b>	<b>5279</b>	<b>275</b>
Lockout/In	2041	107
Water Emer	153	5
Accidental	69	6
Defective	821	57
Other	2195	100
<b>GOOD INTENT</b>	<b>1922</b>	<b>159</b>
Smoke Scare	721	73
Other	1201	86
<b>FALSE</b>	<b>98</b>	<b>12</b>
Malicious	78	10
Other	20	2
<b>RELOCATIONS</b>	<b>0</b>	<b>0</b>

Air Bags	2
Air Cart	2
Air Tools	6
Computer	0
Confined Space	10
Cribbing	11
Hose	5
Hot Stick	5
Ram	5
Jaws	12
Ladders	9
Phd Meter	106
Other Gas Meter	217
Plugging Mat'ls	2
Rope Rescue	6
Saws	9
Stokes	1
TI Camera	110
Hand Tools	254
Power Tools	11
Torch/Slice Pak	1
Water Rescue	5
<b>Box Type</b>	
Fire	9
False	3
Other	5

**Extractions**

Vehicle	38
Elevator	111
Other	5

**Nbr of People Extracted**

Vehicle	22
Elevator	191
Other	3

**SCBA INFO**

Used	470
Changed	44

CO Runs	188
Gas Runs	87

<b>Auto Lockouts</b>	
40	

**SPEEDI DRI**

Bags Used	29
-----------	----

# PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
27545	1526

## Reporting Engine Company

Engine 2

## Annual Report for 2011

	Minutes	Runs
<b>FIRE</b>	<b>3206</b>	<b>114</b>
Structure	2083	48
Vehicle	442	15
Other	681	51
<b>EMS</b>	<b>16418</b>	<b>836</b>
Cardiac	1566	71
Medical Aid	12173	612
Other	2679	153
<b>HAZMAT</b>	<b>172</b>	<b>4</b>
Spill/Leak	155	3
Other	17	1
<b>NON-FIRE</b>	<b>5332</b>	<b>400</b>
Lockout/In	72	6
Water Emer	491	19
Accidental	1020	101
Defective	698	57
Other	3051	217
<b>GOOD INTENT</b>	<b>957</b>	<b>68</b>
Smoke Scare	316	25
Other	641	43
<b>FALSE</b>	<b>639</b>	<b>80</b>
Malicious	545	69
Other	94	11
<b>RELOCATION</b>	<b>721</b>	<b>9</b>

## EQUIPMENT USED

Pump Minutes 1900

### Nbr of Feet Used

Hose 3" 4050

Hose 2.5" 200

Hose 1.75" 9350

Hose .75" 1950

### Nbr Used

Scba 383

### Nbr of Times Used

Master Appl 0

Extinguisher 21

Foam 3

Oxygen 147

AED 5

Generator 1

Port Pump 2

FirstAid Bag 628

CO2 Meter 2

Misc Tools 721

### Nbr of Feet Used

Ldr Extension 28

Ldr Roof 0

Ldr Folding 276

## Box Type

Fire 36

False 122

Other 256

# PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
27550	1527

## Reporting Engine Company

Engine 2

## Annual Report for 2011

	Minutes	Runs
<b>FIRE</b>	<b>3206</b>	<b>114</b>
Structure	2083	48
Vehicle	442	15
Other	681	51
<b>EMS</b>	<b>16418</b>	<b>836</b>
Cardiac	1566	71
Medical Aid	12173	612
Other	2679	153
<b>HAZMAT</b>	<b>172</b>	<b>4</b>
Spill/Leak	155	3
Other	17	1
<b>NON-FIRE</b>	<b>5337</b>	<b>401</b>
Lockout/In	72	6
Water Emer	491	19
Accidental	1025	102
Defective	698	57
Other	3051	217
<b>GOOD INTENT</b>	<b>957</b>	<b>68</b>
Smoke Scare	316	25
Other	641	43
<b>FALSE</b>	<b>639</b>	<b>80</b>
Malicious	545	69
Other	94	11
<b>RELOCATION</b>	<b>721</b>	<b>9</b>

EQUIPMENT USED	
Pump Minutes	1900
Nbr of Feet Used	
Hose 3"	4050
Hose 2.5"	200
Hose 1.75"	9350
Hose .75"	1950
Nbr Used	
Scba	383
Nbr of Times Used	
Master Appl	0
Extinguisher	21
Foam	3
Oxygen	147
AED	5
Generator	1
Port Pump	2
First Aid Bag	628
CO2 Meter	2
Misc Tools	721
Nbr of Feet Used	
Ldr Extension	28
Ldr Roof	0
Ldr Folding	276
Box Type	
Fire	36
False	122
Other	257

# PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
39214	2525

## Reporting Engine Company

Engine 3

AS of 23 JUL 11 @ 1225 hrs

Annual Report for 2011

	Minutes	Runs
<b>FIRE</b>	6287	191
Structure	4211	77
Vehicle	276	10
Other	1800	104
<b>EMS</b>	21265	1285
Cardiac	1547	85
Medical Aid	16050	1060
Other	3658	140
<b>HAZMAT</b>	214	9
Spill/Leak	83	5
Other	131	4
<b>NON-FIRE</b>	8435	663
Lockout/In	572	32
Water Emer	468	19
Accidental	3135	303
Defective	2865	224
Other	1395	85
<b>GOOD INTENT</b>	1423	124
Smoke Scare	546	51
Other	877	73
<b>FALSE</b>	1196	157
Malicious	1010	142
Other	186	15
<b>RELOCATION</b>	6	2

## EQUIPMENT USED

Pump Minutes 1481

### Nbr of Feet Used

Hose 3" 5600

Hose 2.5" 700

Hose 1.75" 12250

Hose .75" 5900

### Nbr Used

Scba 209

### Nbr of Times Used

Master Appl 1

Extinguisher 6

Foam 0

Oxygen 209

AED 25

Generator 1

Port Pump 0

First Aid Bag 1056

CO2 Meter 2

Misc Tools 1055

### Nbr of Feet Used

Ldr Extension 51

Ldr Roof 100

Ldr Folding 34

## Box Type

Fire 44

False 539

Other 201

# PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
12986	741

## Reporting Engine Company

Engine 4

## Annual Report for 2011

	Minutes	Runs
<b>FIRE</b>	1173	30
Structure	548	9
Vehicle	161	4
Other	464	17
<b>EMS</b>	8384	419
Cardiac	1718	71
Medical Aid	5003	255
Other	1663	93
<b>HAZMAT</b>	44	3
Spill/Leak	38	2
Other	6	1
<b>NON-FIRE</b>	2576	210
Lockout/In	81	6
Water Emer	301	6
Accidental	743	77
Defective	653	62
Other	798	59
<b>GOOD INTENT</b>	361	30
Smoke Scare	280	24
Other	81	6
<b>FALSE</b>	332	38
Malicious	238	28
Other	94	10
<b>RELOCATION</b>	60	1

## EQUIPMENT USED

Pump Minutes	177
<b>Nbr of Feet Used</b>	
Hose 3"	750
Hose 2.5"	100
Hose 1.75"	1000
Hose .75"	800
<b>Nbr Used</b>	
Scba	18
<b>Nbr of Times Used</b>	
Master Appl	0
Extinguisher	1
Foam	0
Oxygen	125
AED	1
Generator	0
Port Pump	2
FirstAid Bag	211
CO2 Meter	0
Misc Tools	47
<b>Nbr of Feet Used</b>	
Ldr Extension	0
Ldr Roof	32
Ldr Folding	0
<b>Box Type</b>	
Fire	13
False	75
Other	123

# PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
12986	741

## Reporting Engine Company

Engine 4

## Annual Report for 2011

	Minutes	Runs
<b>FIRE</b>	1173	30
Structure	548	9
Vehicle	161	4
Other	464	17
<b>EMS</b>	8384	419
Cardiac	1718	71
Medical Aid	5003	255
Other	1663	93
<b>HAZMAT</b>	44	3
Spill/Leak	38	2
Other	6	1
<b>NON-FIRE</b>	2576	210
Lockout/In	81	6
Water Emer	301	6
Accidental	743	77
Defective	653	62
Other	798	59
<b>GOOD INTENT</b>	361	30
Smoke Scare	280	24
Other	81	6
<b>FALSE</b>	332	38
Malicious	238	28
Other	94	10
<b>RELOCATION</b>	60	4

## EQUIPMENT USED

Pump Minutes	177
<b>Nbr of Feet Used</b>	
Hose 3"	750
Hose 2.5"	100
Hose 1.75"	1000
Hose .75"	800
<b>Nbr Used</b>	
Scba	18
<b>Nbr of Times Used</b>	
Master Appl	0
Extinguisher	1
Foam	0
Oxygen	125
AED	1
Generator	0
Port Pump	2
FirstAid Bag	211
CO2 Meter	0
Misc Tools	47
<b>Nbr of Feet Used</b>	
Ldr Extension	0
Ldr Roof	32
Ldr Folding	0
<b>Box Type</b>	
Fire	13
False	75
Other	123



# PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
13797	637

## Reporting Engine Company

Engine 5

## Annual Report for 2011

	Minutes	Runs
<b>FIRE</b>	<b>2512</b>	<b>42</b>
Structure	1902	25
Vehicle	26	1
Other	584	16
<b>EVS</b>	<b>5234</b>	<b>231</b>
Cardiac	685	25
Medical Aid	3566	156
Other	983	50
<b>HAZMAT</b>	<b>125</b>	<b>3</b>
Spill/Leak	125	3
Other	0	0
<b>NON-FIRE</b>	<b>3019</b>	<b>238</b>
Lockout/In	22	2
Water Emer	336	10
Accidental	1932	171
Defective	505	38
Other	224	17
<b>GOOD INTENT</b>	<b>2057</b>	<b>25</b>
Smoke Scare	1829	8
Other	228	17
<b>FALSE</b>	<b>751</b>	<b>81</b>
Malicious	161	17
Other	590	64
<b>RELOCATION</b>	<b>0</b>	<b>0</b>

## EQUIPMENT USED

Pump Minutes	93
<b>Nbr of Feet Used</b>	
Hose 3"	0
Hose 2.5"	0
Hose 1.75"	1150
Hose .75"	300
<b>Nbr Used</b>	
Scba	30
<b>Nbr of Times Used</b>	
Master Appl	0
Extinguisher	2
Foam	0
Oxygen	56
AED	1
Generator	2
Port Pump	0
FirstAid Bag	188
CO2 Meter	1
Misc Tools	233
<b>Nbr of Feet Used</b>	
Ldr Extension	0
Ldr Roof	0
Ldr Folding	10
<b>Box Type</b>	
Fire	7
False	49
Other	208

# PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
13797	637

## Reporting Engine Company

Engine 5

## Annual Report for 2011

	Minutes	Runs
<b>FIRE</b>	<b>2512</b>	<b>42</b>
Structure	1902	25
Vehicle	26	1
Other	584	16
<b>EWS</b>	<b>5234</b>	<b>231</b>
Cardiac	685	25
Medical Aid	3566	156
Other	983	50
<b>HAZMAT</b>	<b>125</b>	<b>3</b>
Spill/Leak	125	3
Other	0	0
<b>NON-FIRE</b>	<b>3019</b>	<b>238</b>
Lockout/In	22	2
Water Emer	336	10
Accidental	1932	171
Defective	505	38
Other	224	17
<b>GOOD INTENT</b>	<b>2057</b>	<b>25</b>
Smoke Scare	1829	8
Other	228	17
<b>FALSE</b>	<b>751</b>	<b>84</b>
Malicious	161	17
Other	590	64
<b>RELOCATION</b>	<b>0</b>	<b>0</b>

## EQUIPMENT USED

Pump Minutes	93
<b>Nbr of Feet Used</b>	
Hose 3"	0
Hose 2.5"	0
Hose 1.75"	1150
Hose .75"	300
<b>Nbr Used</b>	
Scba	30
<b>Nbr of Times Used</b>	
Master Appl	0
Extinguisher	2
Foam	0
Oxygen	56
AED	1
Generator	2
Port Pump	0
First Aid Bag	188
CO2 Meter	1
Misc Tools	233
<b>Nbr of Feet Used</b>	
Ldr Extension	0
Ldr Roof	0
Ldr Folding	10
<b>Box Type</b>	
Fire	7
False	49
Other	208

# PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
23563	1308

## Reporting Engine Company

Engine 6

## Annual Report for 2011

	Minutes	Runs
<b>FIRE</b>	4034	111
Structure	2728	66
Vehicle	565	17
Other	741	28
<b>EMS</b>	14671	787
Cardiac	1995	80
Medical Aid	11603	646
Other	1073	61
<b>HAZMAT</b>	203	7
Spill/Leak	116	5
Other	87	2
<b>NON-FIRE</b>	2683	177
Lockout/In	140	8
Water Emer	257	8
Accidental	857	73
Defective	719	42
Other	710	46
<b>GOOD INTENT</b>	662	47
Smoke Scare	256	15
Other	406	32
<b>FALSE</b>	1190	160
Malicious	1074	148
Other	116	12
<b>RELOCATION</b>	0	0

## EQUIPMENT USED

Pump Minutes	715
<b>Nbr of Feet Used</b>	
Hose 3"	2150
Hose 2.5"	0
Hose 1.75"	6675
Hose .75"	2320
<b>Nbr Used</b>	
Scba	133
<b>Nbr of Times Used</b>	
Master Appl	0
Extinguisher	5
Foam	0
Oxygen	84
AED	6
Generator	4
Port Pump	1
FirstAid Bag	588
CO2 Meter	3
Misc Tools	714
<b>Nbr of Feet Used</b>	
Ldr Extension	16
Ldr Roof	30
Ldr Folding	0
<b>Box Type</b>	
Fire	15
False	153
Other	47

# PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
30668	1650

## Reporting Engine Company

Engine 7

## Annual Report for 2011

	Minutes	Runs
<b>FIRE</b>	<b>6470</b>	<b>190</b>
Structure	4784	85
Vehicle	364	9
Other	1322	96
<b>EMS</b>	<b>10849</b>	<b>630</b>
Cardiac	638	37
Medical Aid	7990	440
Other	2221	153
<b>HAZMAT</b>	<b>217</b>	<b>7</b>
Spill/Leak	187	6
Other	30	1
<b>NON-FIRE</b>	<b>10537</b>	<b>654</b>
Lockout/In	874	36
Water Emer	1257	37
Accidental	4072	273
Defective	2198	141
Other	2136	167
<b>GOOD INTENT</b>	<b>493</b>	<b>41</b>
Smoke Scare	176	15
Other	317	26
<b>FALSE</b>	<b>802</b>	<b>83</b>
Malicious	621	68
Other	181	15
<b>RELOCATION</b>	<b>1138</b>	<b>14</b>

## EQUIPMENT USED

Pump Minutes	558
<b>Nbr of Feet Used</b>	
Hose 3"	2700
Hose 2.5"	150
Hose 1.75"	21250
Hose .75"	2700
<b>Nbr Used</b>	
Scba	541
<b>Nbr of Times Used</b>	
Master Appl	0
Extinguisher	21
Foam	0
Oxygen	225
AED	3
Generator	1
Port Pump	3
FirstAid Bag	542
CO2 Meter	2
Misc Tools	588
<b>Nbr of Feet Used</b>	
Ldr Extension	35
Ldr Roof	18
Ldr Folding	10
<b>Box Type</b>	
Fire	62
False	215
Other	388

# PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
30668	1650

## Reporting Engine Company

Engine 7

## Annual Report for 2011

	Minutes	Runs
<b>FIRE</b>	<b>6470</b>	<b>190</b>
Structure	4784	85
Vehicle	364	9
Other	1322	96
<b>EMERGENCY</b>	<b>10849</b>	<b>630</b>
Cardiac	638	37
Medical Aid	7990	440
Other	2221	153
<b>HAZARDOUS</b>	<b>217</b>	<b>7</b>
Gas Leak	187	6
Other	30	1
<b>NON-FIRE</b>	<b>10537</b>	<b>654</b>
Breakout/In	874	36
Motor Emer	1257	37
Accidental	4072	273
Collective	2198	141
Other	2136	167
<b>GOOD INTENT</b>	<b>493</b>	<b>41</b>
Stuck Scare	176	15
Other	317	26
<b>FAULTY</b>	<b>802</b>	<b>83</b>
Unconscious	621	68
Other	181	15
<b>RELOCATION</b>	<b>1138</b>	<b>14</b>

## EQUIPMENT USED

Pump Minutes 558

### Nbr of Feet Used

Hose 3" 2700  
Hose 2.5" 150  
Hose 1.75" 21250  
Hose .75" 2700

### Nbr Used

Scba 541

### Nbr of Times Used

Master Appl 0  
Extinguisher 21  
Foam 0  
Oxygen 225  
AED 3  
Generator 1  
Port Pump 3  
First Aid Bag 542  
CO2 Meter 2  
Misc Tools 588

### Nbr of Feet Used

Ldr Extension 35  
Ldr Roof 18  
Ldr Folding 10

### Box Type

Fire 62  
False 215  
Other 388

# PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
32889	2026

## Reporting Engine Company

Engine 8

## Annual Report for 2011

	Minutes	Runs
<b>FIRE</b>	<b>5557</b>	<b>220</b>
Structure	4230	129
Vehicle	308	11
Other	1019	80
<b>EMS</b>	<b>19783</b>	<b>1202</b>
Cardiac	1925	87
Medical Aid	16666	1036
Other	1192	79
<b>HAZMAT</b>	<b>157</b>	<b>7</b>
Spill/Leak	142	6
Other	15	1
<b>NON-FIRE</b>	<b>5288</b>	<b>313</b>
Lockout/In	93	7
Water Emer	402	19
Accidental	1533	139
Defective	1144	95
Other	2116	53
<b>GOOD INTENT</b>	<b>711</b>	<b>63</b>
Smoke Scare	419	33
Other	292	30
<b>FALSE</b>	<b>1087</b>	<b>143</b>
Malicious	1005	133
Other	82	10
<b>RELOCATION</b>	<b>7</b>	<b>2</b>

## EQUIPMENT USED

Pump Minutes	2650
<b>Nbr of Feet Used</b>	
Hose 3"	13150
Hose 2.5"	750
Hose 1.75"	21553
Hose .75"	39650
<b>Nbr Used</b>	
Scba	682
<b>Nbr of Times Used</b>	
Master Appl	1
Extinguisher	15
Foam	0
Oxygen	154
AED	182
Generator	2
Port Pump	1
FirstAid Bag	698
CO2 Meter	1
Misc Tools	623
<b>Nbr of Feet Used</b>	
Ldr Extension	16
Ldr Roof	0
Ldr Folding	26
<b>Box Type</b>	
Fire	83
False	210
Other	131

# PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
23436	1236

## Reporting Engine Company

Engine 9

## Annual Report for 2011

	Minutes	Runs
<b>FIRE</b>	<b>2847</b>	<b>79</b>
Structure	1729	35
Vehicle	250	8
Other	868	36
<b>EMS</b>	<b>11983</b>	<b>490</b>
Cardiac	3560	73
Medical Aid	7537	383
Other	886	34
<b>HAZMAT</b>	<b>473</b>	<b>11</b>
Spill/Leak	134	7
Other	339	4
<b>NON-FIRE</b>	<b>6520</b>	<b>499</b>
Lockout/In	100	7
Water Emer	530	25
Accidental	2870	254
Defective	2312	170
Other	708	43
<b>GOOD INTENT</b>	<b>816</b>	<b>67</b>
Smoke Scare	436	38
Other	380	29
<b>FALSE</b>	<b>648</b>	<b>68</b>
Malicious	566	58
Other	82	10
<b>RELOCATION</b>	<b>15</b>	<b>2</b>

## EQUIPMENT USED

Pump Minutes	905
<b>Nbr of Feet Used</b>	
Hose 3"	2100
Hose 2.5"	200
Hose 1.75"	2800
Hose .75"	1500
<b>Nbr Used</b>	
Scba	99
<b>Nbr of Times Used</b>	
Master Appl	1
Extinguisher	3
Foam	0
Oxygen	103
AED	5
Generator	1
Port Pump	2
FirstAid Bag	315
CO2 Meter	1
Misc Tools	107
<b>Nbr of Feet Used</b>	
Ldr Extension	0
Ldr Roof	10
Ldr Folding	20
<b>Box Type</b>	
Fire	31
False	244
Other	211

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
23436	1236

Reporting Engine Company

Engine 9

Annual Report for 2011

	Minutes	Runs
<b>FIRE</b>	<b>2847</b>	<b>79</b>
Structure	1729	35
Vehicle	250	8
Other	868	36
<b>EMS</b>	<b>11983</b>	<b>490</b>
Cardiac	3560	73
Medical Aid	7537	383
Other	886	34
<b>HAZMAT</b>	<b>473</b>	<b>11</b>
Spill/Leak	134	7
Other	339	4
<b>NON-FIRE</b>	<b>6520</b>	<b>499</b>
Lockout/In	100	7
Water Emer	530	25
Accidental	2870	254
Defective	2312	170
Other	708	43
<b>GOOD INTENT</b>	<b>816</b>	<b>67</b>
Smoke Scare	436	38
Other	380	29
<b>FALSE</b>	<b>648</b>	<b>68</b>
Malicious	566	58
Other	82	10
<b>RELOCATION</b>	<b>15</b>	<b>2</b>

EQUIPMENT USED

Pump Minutes 905

Nbr of Feet Used

Hose 3" 2100

Hose 2.5" 200

Hose 1.75" 2800

Hose .75" 1500

Nbr Used

Scba 99

Nbr of Times Used

Master Appl 1

Extinguisher 3

Foam 0

Oxygen 103

AED 5

Generator 1

Port Pump 2

FirstAid Bag 315

CO2 Meter 1

Misc Tools 107

Nbr of Feet Used

Ldr Extension 0

Ldr Roof 10

Ldr Folding 20

Box Type

Fire 31

False 244

Other 211



# PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
6E+05	2978

## Reporting Engine Company

Engine 10

## Annual Report for 2010

	Minutes	Runs
<b>FIRE</b>	6296	224
Structure	4908	140
Vehicle	486	15
Other	902	66
<b>EMS</b>	26239	1694
Cardiac	2208	118
Medical Aid	18151	1132
Other	5880	444
<b>HAZMAT</b>	383	14
Spill/Leak	322	11
Other	61	3
<b>NON-FIRE</b>	608735	580
Lockout/In	222	17
Water Emer	809	32
Accidental	604626	292
Defective	1866	167
Other	1212	72
<b>GOOD-INTENT</b>	1031	100
Smoke Scare	352	35
Other	679	65
<b>FALSE</b>	1915	277
Malicious	1216	209
Other	699	68
<b>RELOCATION</b>	40	3

EQUIPMENT USED	
Pump Minutes	1604
Nbr of Feet Used	
Hose 3"	10450
Hose 2.5"	450
Hose 1.75"	12900
Hose .75"	6050
Nbr Used	
Scba	325
Nbr of Times Used	
Master Appl	0
Extinguisher	4
Foam	0
Oxygen	220
AED	14
Generator	4
Port Pump	3
First Aid Bag	1350
CO2 Meter	5
Misc Tools	578
Nbr of Feet Used	
Ldr Extension	52
Ldr Roof	50
Ldr Folding	24
Box Type	
Fire	64
False	322
Other	295

# PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
24931	1431

## Reporting Engine Company

Engine 11

## Annual Report for 2011

	Minutes	Runs
<b>FIRE</b>	3863	125
Structure	3271	87
Vehicle	228	8
Other	364	30
<b>EMS</b>	13825	602
Cardiac	1988	67
Medical Aid	10786	472
Other	1051	63
<b>HAZMAT</b>	127	6
Spill/Leak	34	2
Other	93	4
<b>NON-FIRE</b>	3587	230
Lockout/In	151	9
Water Emer	445	9
Accidental	1385	116
Defective	859	53
Other	747	43
<b>GOOD INTENT</b>	573	43
Smoke Scare	280	23
Other	293	20
<b>FALSE</b>	2691	106
Malicious	2600	97
Other	91	9
<b>RELOCATION</b>	182	2

## EQUIPMENT USED

Pump Minutes	751
<b>Nbr of Feet Used</b>	
Hose 3"	2600
Hose 2.5"	200
Hose 1.75"	6800
Hose .75"	3350
<b>Nbr Used</b>	
Scba	245
<b>Nbr of Times Used</b>	
Master Appl	1
Extinguisher	8
Foam	1
Oxygen	243
AED	110
Generator	1
Port Pump	3
FirstAid Bag	535
CO2 Meter	2
Misc Tools	195
<b>Nbr of Feet Used</b>	
Ldr Extension	20
Ldr Roof	16
Ldr Folding	0
<b>Box Type</b>	
Fire	67
False	102
Other	269

# PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
38349	2097

## Reporting Engine Company

Engine 12

## Annual Report for 2011

	Minutes	Runs
<b>FIRE</b>	2931	124
Structure	1337	23
Vehicle	199	5
Other	1395	96
<b>EMS</b>	25009	1346
Cardiac	4438	193
Medical Aid	17665	967
Other	2906	186
<b>HAZMAT</b>	261	7
Spill/Leak	246	6
Other	15	1
<b>NON-FIRE</b>	7463	325
Lockout/In	133	10
Water Emer	1183	27
Accidental	1600	141
Defective	3469	95
Other	1078	52
<b>GOOD INTENT</b>	863	74
Smoke Scare	177	17
Other	686	57
<b>FALSE</b>	1241	171
Malicious	948	146
Other	293	25
<b>RELOCATION</b>	265	6

EQUIPMENT USED	
Pump Minutes	1714
Nbr of Feet Used	
Hose 3"	3350
Hose 2.5"	200
Hose 1.75"	5650
Hose .75"	8700
Nbr Used	
Scba	75
Nbr of Times Used	
Master Appl	0
Extinguisher	6
Foam	0
Oxygen	254
AED	6
Generator	1
Port Pump	4
First Aid Bag	1100
CO2 Meter	2
Misc Tools	678
Nbr of Feet Used	
Ldr Extension	28
Ldr Roof	58
Ldr Folding	0
Box Type	
Fire	21
False	179
Other	107

# PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
38349	2097

## Reporting Engine Company

Engine 12

## Annual Report for 2011

	Minutes	Runs
<b>FIRE</b>	2931	124
Structure	1337	23
Vehicle	199	5
Other	1395	96
<b>EMS</b>	25009	1346
Cardiac	4438	193
Medical Aid	17665	967
Other	2906	186
<b>HAZMAT</b>	261	7
Spill/Leak	246	6
Other	15	1
<b>NON-FIRE</b>	7463	325
Lockout/In	133	10
Water Emer	1183	27
Accidental	1600	141
Defective	3469	95
Other	1078	52
<b>GOOD INTENT</b>	863	74
Smoke Scare	177	17
Other	686	57
<b>FALSE</b>	1241	171
Malicious	948	146
Other	293	25
<b>RELOCATION</b>	265	6

## EQUIPMENT USED

Pump Minutes	1714
<b>Nbr of Feet Used</b>	
Hose 3"	3350
Hose 2.5"	200
Hose 1.75"	5650
Hose .75"	8700
<b>Nbr Used</b>	
Scba	75
<b>Nbr of Times Used</b>	
Master Appl	0
Extinguisher	6
Foam	0
Oxygen	254
AED	6
Generator	1
Port Pump	4
First Aid Bag	1100
CO2 Meter	2
Misc Tools	678
<b>Nbr of Feet Used</b>	
Ldr Extension	28
Ldr Roof	58
Ldr Folding	0
<b>Box Type</b>	
Fire	21
False	179
Other	107

# PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
20542	1140

Reporting Engine Company

Engine 13

Annual Report for 2011

	Minutes	Runs
<b>FIRE</b>	<b>2990</b>	<b>68</b>
Structure	1997	47
Vehicle	183	5
Other	810	16
<b>EMS</b>	<b>12359</b>	<b>688</b>
Cardiac	1321	53
Medical Aid	9225	525
Other	1813	110
<b>HAZMAT</b>	<b>242</b>	<b>8</b>
Spill/Leak	108	4
Other	134	4
<b>NON-FIRE</b>	<b>3654</b>	<b>245</b>
Lockout/In	181	9
Water Emer	272	11
Accidental	1243	107
Defective	668	52
Other	1290	66
<b>GOOD INTENT</b>	<b>737</b>	<b>48</b>
Smoke Scare	269	17
Other	468	31
<b>FALSE</b>	<b>461</b>	<b>63</b>
Malicious	347	49
Other	114	14
<b>RELOCATION</b>	<b>0</b>	<b>0</b>

EQUIPMENT USED	
Pump Minutes	843
Nbr of Feet Used	
Hose 3"	3300
Hose 2.5"	0
Hose 1.75"	4100
Hose .75"	1300
Nbr Used	
Scba	94
Nbr of Times Used	
Master Appl	1
Extinguisher	2
Foam	0
Oxygen	156
AED	4
Generator	23
Port Pump	1
First Aid Bag	601
CO2 Meter	0
Misc Tools	386
Nbr of Feet Used	
Ldr Extension	119
Ldr Roof	16
Ldr Folding	20
Box Type	
Fire	15
False	49
Other	135

# PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
28313	1699

## Reporting Engine Company

Engine 14

## Annual Report for 2011

	Minutes	Runs
<b>FIRE</b>	<b>5897</b>	<b>199</b>
Structure	3793	89
Vehicle	345	13
Other	1759	97
<b>EMS</b>	<b>14258</b>	<b>815</b>
Cardiac	656	26
Medical Aid	12749	728
Other	853	61
<b>HAZMAT</b>	<b>241</b>	<b>8</b>
Spill/Leak	214	6
Other	27	2
<b>NON-FIRE</b>	<b>5075</b>	<b>361</b>
Lockout/In	32	3
Water Emer	795	27
Accidental	1849	167
Defective	1257	80
Other	1142	84
<b>GOOD INTENT</b>	<b>1130</b>	<b>93</b>
Smoke Scare	578	50
Other	552	43
<b>FALSE</b>	<b>1336</b>	<b>176</b>
Malicious	1232	168
Other	104	8
<b>RELOCATION</b>	<b>45</b>	<b>1</b>

## EQUIPMENT USED

Pump Minutes	1280
<b>Nbr of Feet Used</b>	
Hose 3"	8600
Hose 2.5"	200
Hose 1.75"	11250
Hose .75"	2800
<b>Nbr Used</b>	
Scba	185
<b>Nbr of Times Used</b>	
Master Appl	1
Extinguisher	6
Foam	0
Oxygen	186
AED	2
Generator	0
Port Pump	1
FirstAid Bag	654
CO2 Meter	0
Misc Tools	457
<b>Nbr of Feet Used</b>	
Ldr Extension	0
Ldr Roof	0
Ldr Folding	28
<b>Box Type</b>	
Fire	39
False	218
Other	230

# PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

ANNUAL TOTALS	
Service Time Minutes	Runs
33284	1694

## Reporting Engine Company

Engine 15

## Annual Report for 2011

	Minutes	Runs
<b>FIRE</b>	<b>2893</b>	<b>98</b>
Structure	2057	39
Vehicle	163	6
Other	673	53
<b>EMS</b>	<b>23074</b>	<b>1026</b>
Cardiac	1997	82
Medical Aid	16690	819
Other	4387	125
<b>HAZMAT</b>	<b>224</b>	<b>11</b>
Spill/Leak	224	11
Other	0	0
<b>NON-FIRE</b>	<b>3950</b>	<b>268</b>
Lockout/In	229	21
Water Emer	554	15
Accidental	1261	106
Defective	978	72
Other	928	54
<b>GOOD INTENT</b>	<b>975</b>	<b>62</b>
Smoke Scare	468	30
Other	507	32
<b>FALSE</b>	<b>1343</b>	<b>198</b>
Malicious	1155	185
Other	188	13
<b>RELOCATION</b>	<b>177</b>	<b>2</b>

## EQUIPMENT USED

Pump Minutes 756

### Nbr of Feet Used

Hose 3" 3900

Hose 2.5" 150

Hose 1.75" 5150

Hose .75" 3380

### Nbr Used

Scba 91

### Nbr of Times Used

Master Appl 1

Extinguisher 4

Foam 0

Oxygen 137

AED 11

Generator 0

Port Pump 3

First Aid Bag 564

CO2 Meter 4

Misc Tools 297

### Nbr of Feet Used

Ldr Extension 24

Ldr Roof 16

Ldr Folding 0

### Box Type

Fire 13

False 183

Other 99

The following data is from January 1, 2011 through July 22, 2011  
(YTD)

Washington Street Fire Station

Special Hazards 1 = 992 Runs  
Engine Company 3 = 2,628 Runs  
Tower Ladder 1 = 1,148 Runs  
Rescue Company 4 = 3,242 Runs  
Division 1 = 1,193 Runs  
Total = 9,203 Runs

Branch Avenue Fire Station

Engine Company 2 = 1,580 Runs  
Ladder Company 7 = 600 Runs  
Rescue Company 3 = 3,094 Runs  
Battalion 3 = 1,159 Runs  
Total = 6,433 Runs

Rochambeau Avenue Fire Station

Engine Company 4 = 776 Runs  
Total = 776 Runs

Humboldt Avenue Fire Station

Engine Company 5 = 665 Runs  
Total = 665 Runs

Hartford Avenue Fire Station

Engine Company 6 = 1,365 Runs  
Rescue Company 2 = 2,902 Runs  
Total = 4,267 Runs



North Main Street Fire Station

Engine Company 7 = 1,731 Runs  
Ladder Company 4 = 1,048 Runs  
Rescue Company 5 = 2,884 Runs  
Air Supply 1 = 83 Runs  
Total = 5,746 Runs

Messer Street Fire Station

Engine Company 8 = 2,022 Runs  
Tower Ladder 2 = 852 Runs  
Battalion 2 = 20 Runs  
Total = 2,894 Runs

Brook Street Fire Station

Engine Company 9 = 1,301 Runs  
Ladder Company 8 = 660 Runs  
Total = 1,961 Runs

Broad Street Fire Station

Engine Company 10 = 1,707 Runs  
Ladder Company 5 = 708 Runs  
Total = 2,415 Runs

Reservoir Avenue Fire Station

Engine Company 11 = 1,166 Runs  
Total = 1,166 Runs

Admiral Street Fire Station

Engine Company 12 = 2,174 Runs  
Ladder Company 3 = 791 Runs  
Total = 2,965 Runs

Allen's Avenue Fire Station

Engine Company 13 = 1,181 Runs  
Rescue Company 1 = 3,089 Runs  
Total = 4,270 Runs

Atwell's Avenue Fire Station

Engine Company 14 = 1,810 Runs  
Ladder Company 6 = 857 Runs  
Rescue Company 6 = 3,085 Runs  
Total = 5,752 Runs

Mount Pleasant Avenue Station

Engine Company 15 = 1,728 Runs  
Total = 1,728 Runs

BC James Taylor  
Chief of Communications  
Providence Fire Department

The following data is from July 1, 2010 through June 30, 2011 (FY2011)

Washington Street Fire Station

Special Hazards 1 = 1,907 Runs  
Engine Company 3 = 4,652 Runs  
Tower Ladder 1 = 2,059 Runs  
Rescue Company 4 = 5,798 Runs  
Division 1 = 1,827 Runs  
Total = 16,243 Runs

Branch Avenue Fire Station

Engine Company 2 = 2,802 Runs  
Ladder Company 7 = 1,126 Runs  
Rescue Company 3 = 5,432 Runs  
Battalion 3 = 1,899 Runs  
Total = 11,259 Runs

Rochambeau Avenue Fire Station

Engine Company 4 = 1,412 Runs  
Total = 1,412 Runs

Humboldt Avenue Fire Station

Engine Company 5 = 1,173 Runs  
Total = 1,173 Runs

Hartford Avenue Fire Station

Engine Company 6 = 2,495 Runs  
Rescue Company 2 = 5,211 Runs  
Total = 7,706 Runs

North Main Street Fire Station

Engine Company 7 = 3,137 Runs  
Ladder Company 4 = 1,800 Runs  
Rescue Company 5 = 5,085 Runs  
Air Supply 1 = 138 Runs  
Total = 10,160 Runs

Messer Street Fire Station

Engine Company 8 = 3,789 Runs  
Tower Ladder 2 = 1,618 Runs  
Battalion 2 = 691 Runs  
Total = 6,098 Runs

Brook Street Fire Station

Engine Company 9 = 2,391 Runs  
Ladder Company 8 = 1,210 Runs  
Total = 3,601 Runs

Broad Street Fire Station

Engine Company 10 = 3,005 Runs  
Ladder Company 5 = 1,311 Runs  
Total = 4,316 Runs

Reservoir Avenue Fire Station

Engine Company 11 = 2,056 Runs  
Total = 2,056 Runs

Admiral Street Fire Station

Engine Company 12 = 3,927 Runs  
Ladder Company 3 = 1,450 Runs  
Total = 5,377 Runs

Allen's Avenue Fire Station

Engine Company 13 = 2,094 Runs  
Rescue Company 1 = 5,457 Runs  
Total = 7,551 Runs

Atwell's Avenue Fire Station

Engine Company 14 = 3,322 Runs  
Ladder Company 6 = 1,566 Runs  
Rescue Company 6 = 5,609 Runs  
Total = 10,497 Runs

Mount Pleasant Avenue Station

Engine Company 15 = 3,100 Runs  
Total = 3,100 Runs

BC James Taylor  
Chief of Communications  
Providence Fire Department