

RESOLUTION OF THE CITY COUNCIL

No. 47



Approved January 23, 2023

RESOLVED, That the Members of the Providence City Council hereby Authorize Approval of the following Contract Award by the Board of Contract and Supply, in accordance with Section 21-26(b) (1) of the Code of Ordinances.

DiCenzo, Inc.
(Parks Department)

\$835,750.00

IN CITY COUNCIL
JAN 19 2023
READ AND PASSED


RACHEL M. MILLER, PRESIDENT

CLERK

I HEREBY APPROVE.


Mayor

Date: 1/23/2023



OFFICE OF THE INTERNAL AUDITOR
City of Providence

December 12, 2022

Ms. Tina Mastroianni
City Clerk's Office
City of Providence
25 Dorrance Street
Providence, RI 02903

Dear Tina:

I am writing to request that the following requested contract awards be submitted to the City Council and the Finance Committee for approval:

○ **Parks Department:**


- Award to **Dicenzo, Inc** for "Paul Grande, Jr. Parks Improvements" in an amount not to exceed **\$835,750.00** in accordance with the Code of Ordinances, Section 21-26 (b) (1);
- Award to **Artisan Concrete Services, Inc** for "Neutaconkanut Park Skatepark Expansion Design/build Services" in an amount not to exceed **\$649,500.00** in accordance with the Code of Ordinances, Section 21-26 (b) (1);
- Award to **H.S.I. Construction, Inc** for the "Design-Build Tensioned Fabric Shade Structure for the City Center Rink" in an amount not to exceed **\$1,446,325.00** in accordance with the Code of Ordinances, Section 21-26 (b) (1);

○ Department of Public Property:

- Award to **Agostini Construction, Inc** for "Classical High School – School Renovations, 770 Westminster Street, Providence, RI" in an amount not to exceed **\$32,603,700.00** in accordance with the Code of Ordinances, Section 21-26 (b) (1);
- Award to **Maron Construction, Inc.** for "Pleasant View Elementary School – Interior and Exterior Renovations" in an amount not to exceed **\$15,727,000.00** in accordance with the Code of Ordinances, Section 21-26 (b) (1)

- Mayor's Office – PVD Recovery Programs:
 - Award to **Mentor, Rhode Island** for “Expanding High-Quality Mentoring Opportunities” in an amount not to exceed **\$995,000.00** in accordance with the Code of Ordinances, Section 21-26 (b) (1);
 - Approval to pay **Rhode Island Black Business Association and Inspiring Minds** for “ARPA Expanding Operational Capacity Grantees” in an amount of **\$150,000** and **\$20,011.28** respectively in accordance with the Code of Ordinances, Section 21-26 (b) (2)

Sincerely,



Gina M. Costa
Internal Auditor

Cc: Brian F. Byrnes, Deputy Superintendent of Parks
John – William Moore, Acting Director of Public Property
Bret Jacob, Director of PVD Recovery Programs
Alejandro Tirado, Director of Purchasing
James J. Lombardi, III, City Treasurer



CITY OF PROVIDENCE

Jorge O. Elorza, Mayor

December 7, 2022

The Honorable Jorge O. Elorza
Chairman, Board of Contract and Supply
City Hall
25 Dorrance Street
Providence, RI 02903

RE: **Paul Grande Jr. Parks Improvements**
MinuteTraq ID#: **38766** Minority Participation: 0 % MBE , 0 %WBE
Account Code(s):
 1. 263-263-53401(ARPA)

Dear Mayor Elorza,

DATE OF BID OPENING: **December 5, 2022**

RECOMMENDED BIDDER & THEIR ADDRESS:

•Dicenzo Inc., PO Box 6287, Providence, RI 02940

TOTAL AMOUNT RECOMMENDED: Total amount not to exceed **\$835,750.00**

In response to our request for proposal regarding the above entitled, our department received the following bid(s)
(Listed by low bidder first):

	VENDOR NAME	BASE (minimum reqs.)	TOTAL (final specifications)
1	Dicenzo, Inc.	\$804,750.00	\$835,750.00
2	Site Tech	\$829,560.00	\$891,890.00
3	Central	\$886,222.00	\$934,535.00
4	Yard Works (Disqualified)	\$920,900.00	\$961,400.00

- ☒ On the basis of said bids, we recommend the low bidder, as identified on **LINE 1**, whose bid has met the specifications.
- ☐ On the basis of said bids, we recommend the bidder identified on **LINE:**. While not the apparent low bidder, a review of the bids reveal that it is in the best interest of the City to reject the low bidder. See the Explanation box below.

PROVIDENCE PARKS DEPARTMENT
1000 Elmwood Avenue, Providence, Rhode Island 02907
Phone: 401-785-9450 | Fax: 401-941-5920
www.providenceri.gov



CITY OF PROVIDENCE

Jorge O. Elorza, Mayor

- ☐ On the basis of said bids, we recommend multiple bidders identified on LINES: _____. A review of the bids reveal that it is in the best interest of the City to utilize these bidders together. See the Explanation box below.

Explanation:

Additional documentation to support the decision for this award is attached to this letter.

Respectfully submitted,

Brian F. Byrnes – Deputy Superintendent

Financial Approval:

Financial Approval:

Department Subject Matter Expert: Brian F. Byrnes – Deputy Superintendent of Parks

By signing, the subject matter expert certifies the following: That the recommended vendor(s) is/are the lowest, qualified bidder(s) with regards to the corresponding specifications. That all bids corresponding to this award were reviewed for completeness and that the recommended bidder's submission is inclusive of all required documents.

Bret Jacob, Director of PVD Recovery Programs

PROVIDENCE PARKS DEPARTMENT

1000 Elmwood Avenue, Providence, Rhode Island 02907

Phone: 401-785-9450 | Fax: 401-941-5920

www.providenceri.gov

City of Providence



Rhode Island

Department of City Clerk

MEMORANDUM

DATE: December 5, 2022

TO: Purchasing Director

SUBJECT: PAUL GRANDE JR. PARKS IMPROVEMENTS –
DEPARTMENT OF PARKS

CONSIDERED BY: Board of Contract and Supply

DISPOSITION: VOTED: that all bids be referred to the Purchasing
Director for tabulation.

Dicenzo, Inc.
Yard Works, Inc.
Central Nurseries, Inc.
Site Tech Corporation

cc: Pur. Dir.
File

Jina L. Mastroianni
Acting City Clerk

LOCUS MAP



PROVIDENCE, RI

ISSUED FOR BID 11/7/22

PAUL GRANDE JR.

PARK IMPROVEMENTS

HONORABLE
JORGE ELORZA,
MAYOR

WENDY NILSSON,
SUPERINTENDENT OF PARKS

JOHN J IGLIOZZI
CITY COUNCILOR



PROVIDENCE
PARKS DEPARTMENT
DALEYWILE BOATHOUSE
100 DANIEL AVENUE
PROVIDENCE, RI 02903

COPYRIGHT (C) CITY OF
PROVIDENCE, RI
RESERVED 2022.

REPRODUCTION OF THIS DOCUMENT FOR ANY
PURPOSE WITHOUT THE WRITTEN PERMISSION OF
THE CITY OF PROVIDENCE IS PROHIBITED. THE
CITY OF PROVIDENCE SHALL NOT BE LIABLE FOR
ANY DAMAGES, INCLUDING ATTORNEY'S FEES,
SUFFERED BY ANY PARTY IN CONNECTION WITH
THE REPRODUCTION OF THIS DOCUMENT.

GENERAL CONSTRUCTION NOTES

1. BASE INFORMATION OBTAINED FROM GOOGLE EARTH, GIS, FIELD OBSERVATION, AND MEASUREMENTS SHALL BE USED TO DETERMINE THE LOCATION OF THE PROJECT SITE. THE LOCATION OF THE PROJECT SITE SHALL BE VERIFIED BY THE CONTRACTOR PRIOR TO THE START OF CONSTRUCTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE LOCATION OF THE PROJECT SITE.
2. ANY ERRORS OR DISCREPANCIES ON THE DRAWINGS, SHOP DRAWINGS, AND DETAILS ARE TO BE BROUGHT TO THE ATTENTION OF THE OWNER'S REPRESENTATIVE BEFORE THE WORK HAS COMMENCED.
3. THE CONTRACTOR IS RESPONSIBLE FOR FIELD VERIFICATION OF ALL LOCATIONS AND ACTUAL MEASUREMENTS IN FIELD ARE TO BE REPORTED TO THE OWNER'S REPRESENTATIVE BEFORE CONSTRUCTION BEGINS.
4. THE CONTRACTOR SHALL NOTIFY THE OWNER'S REPRESENTATIVE PRIOR TO THE START OF CONSTRUCTION OR INSTALLATION OF ANY PORTION OF THE SITE WORK.
5. THE CONTRACTOR SHALL STAKE OUT ALL LAYOUTS OF PROPOSED WORK FOR APPROVAL BY THE OWNER'S REPRESENTATIVE PRIOR TO COMMENCING WORK.
6. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ESTABLISHING AND MAINTAINING BENCHMARK LOCATIONS AND ELEVATIONS AT CRITICAL AREAS. THE LOCATION OF ALL CONTROL POINTS AND BENCHMARKS SHALL BE COORDINATED WITH THE OWNER'S REPRESENTATIVE.
7. UNLESS OTHERWISE SPECIFIED ON THE PLANS AND DETAILS/SPECIFICATIONS, ALL CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE MOST RECENT EDITION OF THE MOST RECENT EDITION OF THE RHODE ISLAND DEPARTMENT OF TRANSPORTATION STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION (2013 EDITION).
8. ALL CONSTRUCTION SHALL BE IN ACCORDANCE WITH APPLICABLE LAWS AND REGULATIONS REGARDING NOISE, VIBRATION, DUST, SEDIMENTATION, CONTAMINANT, AND TRENCH WORK.
9. THE CONTRACTOR SHALL RESTORE ALL SURFACES EQUAL TO THEIR ORIGINAL CONDITION AFTER CONSTRUCTION IS COMPLETE. AREAS NOT DISTURBED BY CONSTRUCTION SHALL BE PROTECTED FROM CONSTRUCTION ACTIVITIES TO PREVENT DAMAGE TO TREES, TREES AND OTHER PLANTS OR FEATURES. WHEREAS THE PLANS DO NOT SHOW ALL LANDSCAPING FEATURES, EXISTING CONDITIONS MUST BE VERIFIED BY THE CONTRACTOR IN ADVANCE OF THE WORK.
10. ALL UNPAVED AREAS DISTURBED BY THE WORK SHALL HAVE A MINIMUM OF 4" OF TOPSOIL AND 4" OF SUBSOIL. THE CONTRACTOR SHALL HAVE A MINIMUM OF 4" OF TOPSOIL AND 4" OF SUBSOIL ON THE PLAN AND/OR DIRECTED BY THE LANDSCAPE ARCHITECT. THE CONTRACTOR SHALL BE RESPONSIBLE FOR WATERING ANY LOAM AND SEEDS AREAS UNTIL LAWN GROWTH IS ESTABLISHED AND APPROVED BY THE LANDSCAPE ARCHITECT AND/OR THE OWNER'S REPRESENTATIVE.
11. IF ANY DEVIATION OR ALTERATION OF THE WORK PROPOSED ON THESE DRAWINGS IS REQUIRED, THE CONTRACTOR IS TO IMMEDIATELY CONTACT AND OBTAIN WRITTEN APPROVAL FROM THE OWNER'S REPRESENTATIVE.
12. THE CONTRACTOR SHALL NOT USE REINFORCED CONCRETE. ANY EXISTING OR CONCRETE DEBRIS LEFT IN THE DISTURBED AREA SHALL BE REMOVED BY HAND AT THE CONTRACTOR'S EXPENSE.
13. IF ANY DEVIATION OR ALTERATION OF THE WORK PROPOSED ON THESE DRAWINGS IS REQUIRED, THE CONTRACTOR IS TO IMMEDIATELY CONTACT AND OBTAIN WRITTEN APPROVAL FROM THE OWNER'S REPRESENTATIVE.
14. AT THE END OF CONSTRUCTION, THE CONTRACTOR SHALL REMOVE ALL CONSTRUCTION DEBRIS AND SURPLUS MATERIAL FROM THE SITE. A THOROUGH INSPECTION OF THE WORK PERMITS IS TO BE MADE AND ALL DISCARDED MATERIALS, MOVY OR WATER CARRIED DEBRIS, SHALL BE COLLECTED AND REMOVED FROM THE SITE.
15. THE CONTRACTOR SHALL BE RESPONSIBLE FOR SECURING THE SITE FOR THE SAFETY OF THE GENERAL PUBLIC AND TO PROTECT PROPERTY AGAINST VANDALISM AND THEFT.
16. THE CONTRACTOR MUST OBTAIN ALL REQUIRED CITY, STATE AND FEDERAL PERMITS.
17. THE PROVIDENCE PARKS DEPARTMENT ASSUMES NO RESPONSIBILITY IF THE WORK IS NOT INSTALLED AS PER THE PLANS OR IF FIELD CHANGES ARE MADE WITHOUT THE KNOWLEDGE AND APPROVAL OF THE OWNER'S REPRESENTATIVE.

EROSION & SEDIMENT CONTROL NOTES

1. THE SITE CONSTRUCTION FOREMAN SHALL BE DESIGNATED AS THE ON-SITE EROSION AND SEDIMENT CONTROL MANAGER. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE EROSION AND SEDIMENT CONTROL MEASURES TO CONTROL EROSION AND PREVENT SEDIMENT FROM LEAVING THE SITE.
2. THE CONTRACTOR SHALL INSTALL ALL EESC MEASURES AS SHOWN ON THE PLANS AND AS DETERMINED NECESSARY IN THE FIELD BY THE OWNER'S REPRESENTATIVE BEFORE ANY CONSTRUCTION ACTIVITIES ARE TO BEGIN. THESE MEASURES SHALL BE MAINTAINED THROUGHOUT THE CONSTRUCTION PERIOD. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE EROSION AND SEDIMENT CONTROL MEASURES TO CONTROL EROSION AND PREVENT SEDIMENT FROM LEAVING THE SITE.
3. A MINIMUM SLOPE OF 100 FEET OF EROSION CONTROL BARRIER, Silt FENCE, OR Silt SOCK SHALL BE STOCKPILED ON-SITE AT ALL TIMES.
4. THE CONTRACTOR SHALL PROTECT THE ADJACENT AREA FROM SEDIMENTATION DURING PROJECT CONSTRUCTION OPERATIONS.
5. A CONSTRUCTION EXIT SHALL BE CONSTRUCTED TO SHED DIRT FROM THE CONSTRUCTION AREA. THE CONSTRUCTION EXIT SHALL BE REPLACED/CLEANED AS NEEDED TO MAINTAIN ITS EFFECTIVENESS.
6. THE LIMIT OF ALL CLEANING, GRADING AND DISTURBANCES SHALL BE KEPT TO A MINIMUM OF 10 FEET FROM THE ADJACENT AREAS. THE CONTRACTOR SHALL PHASE THE SITE WORK IN A MANNER TO MINIMIZE AREAS OF EROSION SOIL.
7. IT IS THE CONTRACTOR'S RESPONSIBILITY TO MONITOR LOCAL WEATHER REPORTS DURING CONSTRUCTION AND PRIOR TO SCHEDULING LAWMOWING OR OTHER MAINTENANCE ACTIVITIES. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE EROSION AND SEDIMENT CONTROL MEASURES TO CONTROL EROSION AND PREVENT SEDIMENT FROM LEAVING THE SITE.
8. SOIL EESC MEASURES SHALL BE IMPLEMENTED AND MAINTAINED ON A WEEKLY BASIS AND AFTER EACH RAINFALL EVENT OF 0.25 INCH OR GREATER DURING CONSTRUCTION TO ENSURE THAT THE EESC MEASURES ARE EFFECTIVE AND MAINTAINED. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE EROSION AND SEDIMENT CONTROL MEASURES TO CONTROL EROSION AND PREVENT SEDIMENT FROM LEAVING THE SITE.
9. SOIL STOCKPILES, LEFT OVERNIGHT SHALL BE SURROUNDED ON THEIR PERIMETERS WITH SILT SOCK.
10. DISTURBED AREAS AND SLOPES SHALL NOT BE LEFT UNATTENDED OR EXPOSED FOR EXCESSIVE PERIODS OF TIME SUCH AS THE INACTIVE WINTER SEASON. THE CONTRACTOR SHOULD PROVIDE APPROPRIATE STABILIZATION PRACTICES ON ALL DISTURBED AREAS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE EROSION AND SEDIMENT CONTROL MEASURES TO CONTROL EROSION AND PREVENT SEDIMENT FROM LEAVING THE SITE.
11. TEMPORARY AREAS HAVING A SLOPE GREATER THAN 3:1 SHALL BE REINFORCED WITH EROSION BLANKETS OR APPROVED EQUIVALENT. THE SITE SHALL BE MAINTAINED THROUGHOUT THE CONSTRUCTION PERIOD. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE EROSION AND SEDIMENT CONTROL MEASURES TO CONTROL EROSION AND PREVENT SEDIMENT FROM LEAVING THE SITE.
12. THE CONTRACTOR SHALL CONFORM ALL EROSION CONTROL, ALL EXITS FROM THE SITE WILL BE SWEEP AS NECESSARY INCLUDING ANY SEDIMENT TRACKING. PAVED AREAS SHALL BE SWEEP AS NECESSARY DURING THE CONSTRUCTION PERIOD.
13. DISTURBED AREAS SHALL BE REVEGETATED DURING THE CONSTRUCTION PERIOD. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE EROSION AND SEDIMENT CONTROL MEASURES TO CONTROL EROSION AND PREVENT SEDIMENT FROM LEAVING THE SITE.
14. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE EROSION AND SEDIMENT CONTROL MEASURES TO CONTROL EROSION AND PREVENT SEDIMENT FROM LEAVING THE SITE.

PLANTING NOTES

1. ALL NEW PLANT MATERIALS SHALL CONFORM TO THE MINIMUM GUIDELINES OF NURSERYMAN, INC. IN ADDITION, ALL NEW PLANT MATERIAL FOR THE PROJECT SHALL BE OF SPECIMEN QUALITY.
2. ALL NEW PLANTS TO BE BALLED AND BURLAPED OR CONTAINER GROWN, UNLESS OTHERWISE NOTED ON THE PLANT LIST.
3. THE CONTRACTOR SHALL SUPPLY ALL NEW PLANT MATERIAL IN QUANTITIES SUFFICIENT TO COMPLETE THE PLANTING SHOWN ON THE DRAWINGS.
4. ANY PROPOSED SUBSTITUTIONS OF PLANT SPECIES SHALL BE MADE WITH THE SAME OR BETTER QUALITY, COLOR, FRUIT AND CULTURE, AND ONLY AFTER WRITTEN APPROVAL OF THE LANDSCAPE ARCHITECT.
5. ALL NEW PLANTS SHALL BE TAGGED AND APPROVED BY THE LANDSCAPE ARCHITECT AT THE NURSERY PRIOR TO DELIVERY TO THE SITE.
6. PLANTING AND SHALL REPORT ANY CONCERNS TO THE LANDSCAPE ARCHITECT. STATE LOCATIONS OF ALL PROPOSED PLANTING FOR APPROVAL BY THE LANDSCAPE ARCHITECT.
7. INDIVIDUAL STATES SHALL BE PLACED FOR TREES AND SHRUBS. EDGE OF PLANTING BEDS SHALL BE PAINTED. NOTIFY LANDSCAPE ARCHITECT 24 HOURS PRIOR TO DESIRED APPROVAL.
8. ALL NEW PLANTS SHALL BE SUPPLIED AND INSTALLED DURING THE PERIODS OF APRIL 1 - JUNE 15 AND/OR SEPTEMBER 1 - NOVEMBER 15 PER SPECIFICATIONS.
9. PREPARE ALL INDIVIDUAL TREES AND SHRUB PLANTING BEDS TO A MINIMUM OF 12" DEPTH. THE BEDS SHALL BE FILL WITH A MINIMUM OF 4" OF TOPSOIL. TOPSOIL, 40% EXISTING SOIL AND 10% COMPOST BLEND COMPOST INTO TOP 4" OF SOIL. PLANTING MIX SHALL BE FREE OF LIMBS, STONES, PLANTS, ROOTS, AND OTHER FOREIGN MATTER.
10. ALL SHRUB BEDS AND INDIVIDUAL TREES SHALL RECEIVE THREE (3) INCHES OF MULCH. MULCH SHALL BE APPLIED TO THE BEDS AND SHALL BE MAINTAINED THROUGHOUT THE CONSTRUCTION PERIOD. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE EROSION AND SEDIMENT CONTROL MEASURES TO CONTROL EROSION AND PREVENT SEDIMENT FROM LEAVING THE SITE.
11. ALL BURLAP, TWINE AND WIRE SHALL BE COMPLETELY REMOVED OR CUT AWAY AT TIME OF INSTALLATION.
12. PLANT TREES IN ACCORDANCE WITH THE SPECIFICATIONS.
13. PLANT WARRANTY SHALL BE FOR ONE FULL GROWING SEASON FROM THE TIME OF SUBSTANTIAL COMPLETION.
14. LANDSCAPE CONTRACTOR SHALL BE RESPONSIBLE FOR REPLACING ALL PLANTS THAT DO NOT SURVIVE THE FIRST FULL GROWING SEASON.
15. IF NO IRRIGATION SYSTEM IS PLANNED, AN APPROPRIATE WATERING SCHEDULE SHALL BE ESTABLISHED BY THE LANDSCAPE CONTRACTOR FOR ALL PLANT MATERIAL BASED UPON PLANT SPECIFIC REQUIREMENTS AND PROVIDED IN WRITING. THE APPROVED SCHEDULE SHOULD BE FOLLOWED UNTIL COMPLETION OF PLANT MAINTENANCE PERIODS OR WARRANTY PERIODS.
16. ALL VEGETATION AND DEBRIS SHALL BE REMOVED FROM PROPOSED PLANTING AREAS PRIOR TO PLANTING AND BURLAPPING. CONTRACTOR SHALL REMOVE ALL DEBRIS FROM THE SITE PRIOR TO PLANTING. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE EROSION AND SEDIMENT CONTROL MEASURES TO CONTROL EROSION AND PREVENT SEDIMENT FROM LEAVING THE SITE.
17. ALL AREAS TO BE SEEDS OR SODDED SHALL RECEIVE SIX INCHES (6") OF LOAM, MULCH, AND/OR TOPSOIL, PRIOR TO SEEDING.
18. ALL EXISTING LAWN AREAS DESIGNED TO REMAIN SHALL BE AERATED, FERTILIZED AND OVERSEEDED, AS DIRECTED BY THE LANDSCAPE ARCHITECT.
19. IN ADDITION TO LOCATIONS DESIGNATED FOR SEED ON THE PLANNING PLAN, THE CONTRACTOR SHALL BE RESPONSIBLE FOR SEEDING ANY DISTURBED AREAS.
20. A DETAILED PLANT MAINTENANCE MANUAL SHALL BE ESTABLISHED BY THE LANDSCAPE CONTRACTOR FOR ALL PLANT MATERIAL BASED UPON PLANT SPECIFIC REQUIREMENTS AND PROVIDED IN WRITING. THE APPROVED SCHEDULE SHOULD BE FOLLOWED UNTIL COMPLETION OF PLANT MAINTENANCE PERIODS OR WARRANTY PERIODS.
21. LANDSCAPE CONTRACTOR IS RESPONSIBLE FOR MAINTAINING CLOSE COORDINATION WITH OWNER, GENERAL CONTRACTOR, RELATED SUBCONTRACTORS, LANDSCAPE ARCHITECT, AND ALL SITE WORK RELATED ITEMS.

SHEET SCHEDULE

SHEET #	NAME
L-1	COVER SHEET
L-2	EXISTING CONDITIONS/DEMOLITION PLAN
L-3	GRADING PLAN
L-4	MATERIALS PLAN
L-5	LAYOUT PLAN
L-6	PLANNING PLAN
L-7	CONSTRUCTION DETAILS 1
L-8	CONSTRUCTION DETAILS 2
L-9	CONSTRUCTION DETAILS 3
L-10	CONSTRUCTION DETAILS 4

LEGEND

EXISTING GRADE	EX. ASPHALT TO BE REMOVED
PROPOSED GRADE	NEW 2" ASPHALT PAVING
EXISTING CONTOUR	NEW 4" CONCRETE PAVING
PROPOSED CONTOUR	NEW STONE/GRASS PAVT
EXISTING TREES	
TREE PROTECTION FENCE	
LIMIT OF WORK	
SILT SOCK	

COVER SHEET
PAUL GRANDE JR. PARK IMPROVEMENTS
115 DANIEL AVENUE, PROVIDENCE, RI 02909

FILE: Paul_Grande_PARKS.dwg

DATE: NOV 7, 2022


SCALE: NTS

DESIGNED BY: NTS

CHECKED BY: NTS

APPROVED BY: NTS

MO: 1 OF 10



**PROVIDENCE
PARKS DEPARTMENT**
DALRYMPLE BOATHOUSE
ROGER WILLIAMS PARK
PROVIDENCE, RI 02905

COPYRIGHT © CITY OF
PROVIDENCE PARKS
DEPARTMENT. ALL RIGHTS
RESERVED 2022.

NO.	REVISION	DATE

GRADING PLAN

PAUL GRANDE JR. PARK IMPROVEMENTS
115 DANIEL AVENUE, PROVIDENCE, RI 02909

FILE: Paul Grande_PLANS.dwg

DATE _____

NOV 7, 2022

SCAL

 $\tau = 10^6$

DRAWN BY:	SHEET NO.
-----------	-----------

SHEET NO.

II, SG

—
യ

5-0



PROVIDENCE
PARKS DEPARTMENT
DAIRYFARM BOATHOUSE
ROGER WILLIAMS PARK
PROVIDENCE, RI 02905

CITY OF
PROVIDENCE
DEPARTMENT OF CITY OF
PROVIDENCE PARKS
DEPARTMENT
PROVIDENCE, RI 02905

NOTES:
1. ALL MATERIALS TO BE USED IN THIS PROJECT SHALL BE OF THE HIGHEST QUALITY AND SHALL BE SUBJECT TO INSPECTION AND APPROVAL BY THE CITY OF PROVIDENCE PARKS DEPARTMENT.
2. ALL MATERIALS TO BE USED IN THIS PROJECT SHALL BE SUBJECT TO INSPECTION AND APPROVAL BY THE CITY OF PROVIDENCE PARKS DEPARTMENT.
3. ALL MATERIALS TO BE USED IN THIS PROJECT SHALL BE SUBJECT TO INSPECTION AND APPROVAL BY THE CITY OF PROVIDENCE PARKS DEPARTMENT.

NO.	REVISION	DATE

MATERIALS PLAN


PAUL GRANDE JR. PARK IMPROVEMENTS
115 DANIEL AVENUE, PROVIDENCE, RI 02909

FILE: Paul Grande_Plan01.dwg

DATE:
NOV 7, 2022

SCALE:
1"=10'

DRAWN BY:	CHECKED/	DATE:
IL SC	ANDERSON	NOV 7, 2022
NO	NO	NO




MATERIALS LEGEND

- 35 GAL TRASH RECEPTACLE ON 30"x40" CONC PAD
- LANDSCAPE BOULDER
- EQUIPMENT USE ZONE
- STABILIZED STONEBUST
- 4" POURED CONCRETE
- EWF MULCH
- 2" ASPHALT PAVING




DANIEL AVENUE



MERCY STREET

LAYOUT NOTES

1. ALL LINES AND DIMENSIONS ARE PARALLEL OR PERPENDICULAR TO THE LINES FROM WHICH THEY ARE MEASURED UNLESS OTHERWISE INDICATED.
2. STORAGE AREAS FOR CONSTRUCTION EQUIPMENT AND MATERIALS SHALL BE ON AND WITHIN LIMITS OF WORK AS SHOWN ON THE PLANS AND AS APPROVED BY THE OWNER'S REPRESENTATIVE.
3. CONTRACTORS SHALL VERIFY ALL EXISTING CONDITIONS IN THE FIELD AND REPORT ANY DISCREPANCIES IN THE PLAN TO THE OWNER'S REPRESENTATIVE PRIOR TO STARTING WORK.
4. ALL LAYOUTS FOR WALKS AND PATHS SHALL BE POSITIVELY STAKED BY THE CONTRACTOR AND APPROVED BY THE OWNER'S REPRESENTATIVE PRIOR TO CONSTRUCTION.
5. ALL SITE FURNISHINGS, BOLLARDS, LAMP-POLES AND OUTDOOR FITNESS EQUIPMENT PLACEMENT TO BE APPROVED BY LANDSCAPE ARCHITECT PRIOR TO INSTALLATION.



PROVIDENCE
PARKS DEPARTMENT
DANIEL AVENUE BOATHOUSE
115 DANIEL AVENUE, PROVIDENCE, RI 02909

COPYRIGHT (C) CITY OF
PROVIDENCE, RHODE ISLAND
RESERVED 2022.

ALL RIGHTS OF THE CITY OF PROVIDENCE, RHODE ISLAND, IN THE DESIGN, CONSTRUCTION, AND MAINTENANCE OF THE DANIEL AVENUE BOATHOUSE ARE RESERVED. NO PART OF THIS DOCUMENT SHALL BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT PERMISSION IN WRITING FROM THE CITY OF PROVIDENCE, RHODE ISLAND.

NO.	REVISION	DATE



LAYOUT PLAN
PAUL GRANDE JR. PARK IMPROVEMENTS
115 DANIEL AVENUE, PROVIDENCE, RI 02909

FILE: Paul Grande_PLANS.dwg



DATE
NOV 7, 2022

SCALE
1"=10'


DRAWN BY
R. SO
SHEET NO.
L-5
APPROVED
MO
5 OF 10





12 6L IPE PICNIC TABLE - SURFACE MOUNT
NTS




13 8L ADA ACCESSIBLE IPE PICNIC TABLE - SURFACE MOUNT
NTS




15 KOMPAN YOSEMITE FOOTING PLAN
NTS




17 TIMBER SAND PLAY AREA
NTS




18 KOMPAN COMBI 5 FITNESS STATION FOOTING PLAN
NTS



14 KOMPAN SLIDE W/ NET LADDER FOOTING PLAN
NTS



16 KOMPAN 2-BAY SWINGSET FOOTING PLAN
NTS



18 KOMPAN COMBI 5 FITNESS STATION FOOTING DETAIL
NTS



PROVIDENCE
PARKS DEPARTMENT
DANIEL JR. PARK
PROVIDENCE, RI 02905

CONSTRUCTION DETAILS 2
PAUL GRANDE JR. PARK IMPROVEMENTS
115 DANIEL AVENUE, PROVIDENCE, RI 02909

NO.	REVISION	DATE

DATE	NOV 7, 2002
SCALE	NTS
DRAWN BY	IL, SO
CHECKED/ APPROVED	L-8
NO.	8 OF 10



PROVIDENCE
PARKS DEPARTMENT
DALE WATKINS BOATHOUSE
PROVIDENCE, RI 02905

COPYRIGHT © CITY OF
PROVIDENCE, RI
RESERVED 2022.

ALL RIGHTS RESERVED. NO PART OF THIS DOCUMENT MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT PERMISSION IN WRITING FROM THE PROVIDENCE PARKS DEPARTMENT. THE CITY OF PROVIDENCE ASSUMES NO LIABILITY FOR ANY ERRORS OR OMISSIONS. THE CITY OF PROVIDENCE ASSUMES NO LIABILITY FOR ANY ERRORS OR OMISSIONS.

DATE	
NO. REVISION	

CONSTRUCTION DETAILS 3

PAUL GRANDE JR. PARK IMPROVEMENTS

115 DANIEL AVENUE, PROVIDENCE, RI 02909

FILE: Paul Grande_Plan3.dwg


DATE: NOV 7, 2022

SCALE: NTS


DRAWN BY: NTS

CHECKED BY: L-9


APPROVED BY: 9 OF 10




SECTION VIEW




CONCRETE POST FOOTING DETAIL




ACCESSORY FOOTING DETAIL




POST FOOTING LAYOUT




ACCESSORY FOOTING LAYOUT



NTS



NT9



1. USE A PROCESSSED WOOD FIBER MULCH ON WOOD/PAPER BLEND
2. ADD DOLOMITIC LIME AND 16-24-12 STARTER FERTILIZER TO LOAM PRIOR TO HYDROSEEDING
3. DEPTH OF LOAM MAY BE LESS THAN 6" IN AREAS OF TRANSITION (FEATHERING) TO EXISTING LAWN AND FOR REPAIR TO DISTURBED AREAS.
4. DISTURBED AREAS TO BE AERATED, TOP-DRESSED W/ LOAM & SLICE-SEEDDED

25

NITS

NO.	REVISION	DATE

115 DANIEL AVENUE, PROVIDENCE, RI 02909

FILE: Paul Grande_PLANS.dwg

DATE _____

NOV 7, 2022

SCALE

CIN

DRAWN BY	SHEET N
11 00	

1	11.00
---	-------

APPROVED

MC	10 of
----	-------